

# F202 A S-40/0,1



Products Low Voltage Products and Systems Modular DIN Rail Products Residual Current Devices RCDs  
Residual Current Devices RCDs

## General Information

**Extended Product Type:** F202 A S-40/0,1

**Product ID:** 2CSF202201R2400

**EAN:** 8012542822905

**Catalog Description:** F202 A S-40/0,1 Residual Current Dev.

**Long Description:** The RCCBs F200 series assures protection to people and installations against fault current to earth. A large offer for standard instantaneous and selective AC and A types is completed with some configurations for special applications.

## Additional Information

|                                    |                                                                                                                                                                    |
|------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Country of Origin:                 | Italy (IT)                                                                                                                                                         |
| Customs Tariff Number:             | 85363030                                                                                                                                                           |
| Data Sheet, Technical Information: | 2CSC400002D0209                                                                                                                                                    |
| Declaration of Conformity - CE:    | 9AKK106713A5602                                                                                                                                                    |
| EAN:                               | 8012542822905                                                                                                                                                      |
| EPLAN Catalog Tree:                | Electrical engineering / Protection devices / Ground fault current circuit breaker                                                                                 |
| EPLAN Function Definition:         | Ground fault current circuit-breaker / Ground fault current circuit breakers, 4 connection points / Ground fault current circuit breaker, two-pole 1/2 2/1 3/4 4/3 |
| ETIM 4:                            | EC000003 - Residual current circuit breaker (RCCB)                                                                                                                 |
| ETIM 5:                            | EC000003 - Residual current circuit breaker (RCCB)                                                                                                                 |
| ETIM 6:                            | EC000003 - Residual current circuit breaker (RCCB)                                                                                                                 |
| Environmental Information:         | S-P-00080                                                                                                                                                          |
| Instructions and Manuals:          | 2CSF423001D6406                                                                                                                                                    |
| Invoice Description:               | F202 A S-40/0,1 Residual Current Dev.                                                                                                                              |
| Maximum Operating Voltage UL/CSA:  | 277 V AC                                                                                                                                                           |
| Minimum Order Quantity:            | 1 piece                                                                                                                                                            |
| Number of Poles:                   | 2                                                                                                                                                                  |
| Object Classification Code:        | Q                                                                                                                                                                  |
| Operating Characteristic:          | Selective                                                                                                                                                          |
| Options Provided:                  | -                                                                                                                                                                  |
| Package Level 1 EAN:               | 8012542822905                                                                                                                                                      |
| Package Level 1 Gross Weight:      | 0.225 kg                                                                                                                                                           |
| Package Level 1 Height:            | 0.078 m                                                                                                                                                            |
| Package Level 1 Length:            | 0.096 m                                                                                                                                                            |
| Package Level 1 Units:             | 1 piece                                                                                                                                                            |
| Package Level 1 Width:             | 0.041 m                                                                                                                                                            |
| Power Loss:                        | at Rated Operating Conditions per Pole 2.4 W                                                                                                                       |
| Product Main Type:                 | F200                                                                                                                                                               |
| Product Name:                      | Residual Current Circuit Breaker                                                                                                                                   |
| Product Net Depth:                 | 0.069 m                                                                                                                                                            |
| Product Net Height:                | 0.085 m                                                                                                                                                            |
| Product Net Weight:                | 0.200 kg                                                                                                                                                           |
| Product Net Width:                 | 0.035 m                                                                                                                                                            |
| Rated Current (I <sub>n</sub> ):   | 40 A                                                                                                                                                               |
| Rated Frequency (f):               | 50 ... 60 Hz                                                                                                                                                       |
| Rated Operational Voltage:         | 230 V AC                                                                                                                                                           |
| Rated Residual Current:            | 100 mA                                                                                                                                                             |
| Rated Voltage (U <sub>r</sub> ):   | 230/400 V                                                                                                                                                          |
| RoHS Status:                       | Following EU Directive 2011/65/EC                                                                                                                                  |
| Selling Unit of Measure:           | piece                                                                                                                                                              |
| Short Description:                 | Residual Current Device F202 A S-40/0,1                                                                                                                            |
| Standards:                         | IEC/EN 61008<br>UL 1053                                                                                                                                            |
| Type of Residual Current:          | A type                                                                                                                                                             |
| Accessories Available:             | Yes                                                                                                                                                                |

