

# SU203MR-K15



Products Low Voltage Products and Systems Modular DIN Rail Products Miniature Circuit Breakers MCBs

## General Information

|                               |                                                                    |
|-------------------------------|--------------------------------------------------------------------|
| <b>Extended Product Type:</b> | SU203MR-K15                                                        |
| <b>Product ID:</b>            | 2CDS273347R0457                                                    |
| <b>EAN:</b>                   | 4016779958455                                                      |
| <b>Catalog Description:</b>   | Miniature Circuit Breakers MCBs - SU200MR - 3P - K                 |
| <b>Long Description:</b>      | SU203MR-K15 MCB K-Char., 10kA, 15A, 3P, RTT UL 489, Ring Cable Lug |

## Additional Information

|                                             |                                                       |
|---------------------------------------------|-------------------------------------------------------|
| <b>CSA Certificate:</b>                     | 2CDZ405000A0575                                       |
| <b>Country of Origin:</b>                   | Germany (DE)                                          |
| <b>Customs Tariff Number:</b>               | 85362010                                              |
| <b>Data Sheet, Technical Information:</b>   | 2CDC002184D0202                                       |
| <b>Declaration of Conformity - CE:</b>      | 2CDK400616D2702                                       |
| <b>EAN:</b>                                 | 4016779958455                                         |
| <b>EPLAN Catalog Tree:</b>                  | Electrical engineering / Protection devices / General |
| <b>ETIM 5:</b>                              | EC000042 - Miniature circuit breaker (MCB)            |
| <b>ETIM 6:</b>                              | EC000042 - Miniature circuit breaker (MCB)            |
| <b>Instructions and Manuals:</b>            | 2CDC002184D0202                                       |
| <b>Invoice Description:</b>                 | SU203MR-K15 MCB K-Char., 10kA, 15A, 3P, RTT           |
| <b>Minimum Order Quantity:</b>              | 1 piece                                               |
| <b>Number of Poles:</b>                     | 3                                                     |
| <b>Number of Protected Poles:</b>           | 3                                                     |
| <b>Options Provided:</b>                    | Ring tongue                                           |
| <b>Package Level 1 EAN:</b>                 | 4016779961110                                         |
| <b>Package Level 1 Gross Weight:</b>        | 1.32 kg                                               |
| <b>Package Level 1 Height:</b>              | 82 mm                                                 |
| <b>Package Level 1 Length:</b>              | 191 mm                                                |
| <b>Package Level 1 Units:</b>               | 3 piece                                               |
| <b>Package Level 1 Width:</b>               | 121 mm                                                |
| <b>Package Level 2 EAN:</b>                 | 4016779981002                                         |
| <b>Package Level 2 Gross Weight:</b>        | 16 kg                                                 |
| <b>Package Level 2 Height:</b>              | 210 mm                                                |
| <b>Package Level 2 Length:</b>              | 395 mm                                                |
| <b>Package Level 2 Units:</b>               | 27 piece                                              |
| <b>Package Level 2 Width:</b>               | 275 mm                                                |
| <b>Power Loss:</b>                          | at Rated Operating Conditions per Pole 2.4 W          |
| <b>Product Main Type:</b>                   | SU200MR                                               |
| <b>Product Name:</b>                        | Miniature Circuit Breakers MCBs                       |
| <b>Product Net Depth:</b>                   | 71 mm                                                 |
| <b>Product Net Height:</b>                  | 115 mm                                                |
| <b>Product Net Weight:</b>                  | 0.42 kg                                               |
| <b>Product Net Width:</b>                   | 52.5 mm                                               |
| <b>Rated Current (I<sub>n</sub>):</b>       | 15 A                                                  |
| <b>Recommended Screw Driver:</b>            | Pozidriv 2                                            |
| <b>Screw Terminal Type:</b>                 | Ring-Tongue Terminal with Captive Screw               |
| <b>Selling Unit of Measure:</b>             | piece                                                 |
| <b>Terminal Type:</b>                       | Ring-Tongue Terminals                                 |
| <b>Tripping Characteristic:</b>             | K                                                     |
| <b>UL Certificate:</b>                      | 2CDZ405000A0085                                       |
| <b>UNSPSC:</b>                              | 39121614                                              |
| <b>Width in Number of Modular Spacings:</b> | 3                                                     |
| <b>eClass:</b>                              | 7.0 27141901                                          |
| <b>Accessories Available:</b>               | Yes                                                   |

