

Product data sheet

Specifications



APC NetShelter Soundproof, 17U, Server Rack Enclosure, 120V, Maple [TAA]

AR4017A

Overview

Lead time	Usually Ships within 2 Weeks
-----------	------------------------------

Main

Product or Component Type	Rack enclosure
Main Input Voltage	100...120 V
Input Connection Type	NEMA 5-15P
output connection type	10 NEMA 5-15R
Number of rack unit	17U
Cable length	11.98 ft (3.65 m)
Number of cables	1
Provided equipment	Casters

Physical

Height	39.6 in (1005 mm)
Width	29.5 in (750 mm)
Depth	44.5 in (1130.4 mm)
Product Weight	317.5 lb(US) (144 kg)
Color	Maple
Mounting preference	No preference
Mounting Mode	Not rack-mountable
Mounting position	Horizontal
Maximum Mounting Depth	2.72 ft (0.83 m)
minimum mounting depth	2.26 ft (0.69 m)
Rack Width	19"
Permanent permissible load	1851.9 lb(US) (840 kg) static

Input

Input Frequency	50/60 Hz
-----------------	----------

Output

PDU Type	Basic
----------	-------

Conformance

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Standards	EIA-310D
-----------	----------

Ordering and shipping details

GTIN	731304621737
------	--------------

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	44.09 in (112 cm)
Package 1 Width	32.28 in (82 cm)
Package 1 Length	47.24 in (120 cm)
Package 1 Weight	414.5 lb(US) (188 kg)

Compliance

Compliance	TAA
------------	-----

Contractual warranty

Warranty	2 Years
----------	---------

Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)

Environmental footprint	
Carbon footprint (kg CO2 eq, Total Life cycle)	570

Use Better

Materials and Substances	
Packaging made with recycled cardboard	No
Packaging without single use plastic	No
EU RoHS Directive	Not applicable, out of EU RoHS legal scope
SCIP Number	5aa5ed58-9f72-49f2-ad76-720ad4129c6e
REACH Regulation	REACH Declaration

Use Again

Repack and remanufacture	
Circularity Profile	End of Life Information
Take-back	No

Image of product / Alternate images

Alternative







