


Connecticut Electric
Quality Electrical Products • Since 1906


2014 - 2015 CATALOG

VISIT US ONLINE - WWW.CONNECTICUT-ELECTRIC.COM

800-730-2557




**Supporting Yesterday's
Load Centers...**



**With Breakers
Made Today...**

**To Provide Power
for Tomorrow!**



EmerGen Switch[®]

Manual Transfer Switch Kit

**CALL
TODAY!**

***Don't Let Power
Interruptions Control You!***

**For Indoor or
Outdoor Use**

10
circuits

30
amps

Constructed with
Durable,
Heavy Gauge,
Powder Coated Steel!



Model #10-7501G2KIT

For use with 120/240 VAC Generators Rated up to 30 Amps
Kit Includes Many of the Components Used in a Typical Installation



Connecticut Electric

Quality Electrical Products • Since 1906

Connecticut Electric, Inc.

TERMS AND CONDITIONS

Order Policy

- All prices are Anderson, IN with full freight allowed on breakers valued at \$100 or more; all other product must be valued at \$1,000 or more.
- Standard Ground Shipping: COD, air or other expedited charges are billed to the customer.
- Orders can be received via Internet, EDI or by hard copy/Fax.
- Special order or non-stock items cannot be cancelled or returned.

Shipping Policy

- Small shipments are shipped via parcel carrier and large shipments are shipped via LTL, unless specified otherwise.
- Orders of stock items are usually shipped within 48 hours of receipt.
- **Any shortages, overages, or mis-shipments must be reported within 5 working days.**
- Failure to report any of the above within 5 working days will constitute acceptance of the shipment as noted on the packing list.
- Upon receipt of shipment, all packages must be carefully inspected to ensure product is in good condition. Connecticut Electric is not responsible for concealed damage.

Terms

- Our terms are Net 30 days unless otherwise negotiated and in writing with Connecticut Electric.
- Accounts not paid accordingly will be assessed 1.5% interest per month. Any and all expenses, including third party, legal or otherwise incurred in the collection will be added to the account balance.
- Remit payment to:
Connecticut Electric, Inc.
PO BOX 3549
Momentum Place
Chicago, IL 60689-5332

Warranty Policy

All product sold by Connecticut Electric is warranted against mechanical or electrical failure due **only to manufacturing defects** for 1 year after the purchase date. Connecticut Electric will replace the warranted product or if a replacement is not available, will credit your account the amount of the original purchase.

Return Policy

- The following are three acceptable reasons for returns:
 1. Manufacturer (defective) product will be credited if it is received within one (1) year of shipment from Connecticut Electric. NOTE: Broken, cracked, and/or chipped product is not considered inoperative and will not be credited as such.
 2. Product shipped in error by Connecticut Electric will be credited the full amount.
 3. Product ordered incorrectly is subject to a 20% restocking fee. **Non-defective product cannot be returned after 90 days.**
- All products to be returned must be pre-authorized. Call for an RGA number at (800) 730-2557. Returned packages **MUST** be marked "Returned Goods" and have the authorization number noted.
- Product must be accompanied with the Connecticut Electric invoice number on which it was purchased and the reason for its return.
- Returned product needs to be shipped to:
Connecticut Electric Inc.
1819 W. 38th St.
Anderson, IN 46013
- Credit will be issued upon receipt and inspection of the product when it has been deemed defective and mailed to your billing address. Please do not change or debit the original invoice.

***Prices and products are subject to change without notice.**



Quality Policy and Objectives

"A passion for quality and service that exceeds our customers' expectations."

The Management of Connecticut Electric, Inc. is committed to meeting the requirements of our customers and improving our processes to provide superior quality products. Our commitment is achieved through the active participation of all our employees based on the Connecticut Electric, Inc. Quality Management System.

Connecticut Electric, Inc. is committed to consistently providing quality products and services by:

- Understanding and exceeding the needs and specifications of our customers (both internal and external);
- Using validated procedures, equipment and auditing functions;
- Constantly reviewing and improving our products and services to ensure tasks are completed in the most cost effective and timely manner for the benefit of all our customers;
- Improving employee competencies through consistent training and review processes.

Objectives are determined, set and monitored at Quarterly Management Reviews. Objectives needed to ensure the requirements of this policy are met with continuous improvement and maintained within the spirit of the policy.

 11/18/13


President, Connecticut Electric, Inc. /Date

 11/18/13

Director of Operations, Connecticut Electric, Inc. /Date

 11/18/13

Director of Sales and Marketing, Connecticut Electric, Inc. /Date



Save \$\$\$ with Connecticut Electric's Customer Web Portal

Current customers can register for online access at www.connecticut-electric.com go to products and click on the "Request Login" button. It is quick and easy!

**SCAN THE CODE AND
REGISTER WITH
YOUR MOBILE DEVICE**



Your online access provides you with:

- ▶ **Convenient 24/7 ordering capabilities**
- ▶ **Check Current Pricing (catalog pricing subject to change without notice)**
- ▶ **Check Product Stock Levels**
- ▶ **Up to the Minute Order Status and Tracking**

1% DISCOUNT ON ALL WEB ORDERS!
DURING CHECKOUT USE PROMO-CODE: WEB



Connecticut Electric

Quality Electrical Products • Since 1906

www.connecticut-electric.com • 800-730-2557

Don't Compromise on Safety

Only Connecticut Electric manufactures NEW replacement circuit breakers as shown below that are Safety Agency certified to UL 489. Choose only Connecticut Electric's line of UBI replacement circuit breakers for continued protection!

Safe Replacement Breakers Now, and Far Into the Future!



PushMatic®
UBIP



Federal Pacific®
UBIF



Zinsco
UBIZ



Challenger™
UBITBA



WADSWORTH™
UBIA

Installing used, reconditioned, or counterfeit circuit breakers in your panel can be unsafe, and extremely risky! Trust only quality replacement circuit breakers manufactured by Connecticut Electric Inc.

UBI is the most recognized brand of replacement circuit breaker in the USA.

Connecticut Electric

Quality Electrical Products • Since 1906

Connecticut Electric Inc.

800-730-2557 ♦ www.connecticut-electric.com

Federal Pacific Electric® is a registered trademark of American Circuit Breaker Corporation.
Pushmatic® is a registered trademark of Siemens Energy and Automation.



TABLE OF CONTENTS

BREAKER TYPE

PAGE#

UBI TYPE TBA

2

UBI TYPE FN

3

UBI TYPE TB

5

UBI INTERCHANGEABLE

5

UBI TYPE P

6

UBI ZINSCO®

7

UBI WADSWORTH™

9

MURRAY®

11

SIEMENS®

13

VIEW-PAK
(Clamshell Packaged)

23

PANEL ACCESSORIES

34

RV POWER OUTLETS

35

UBI Bulk
Breakers

Murray
Breakers

Siemens
Breakers

View-Pak
Breakers

RV and Panel
Accessories



UBI TYPE TBA

SUITABLE REPLACEMENT FOR CHALLENGER A SERIES

# of Poles	AMP Rating	Catalog Number	Price	UPC
1	15	UBITBA115L		0 94925 02100 4
1	15	UBITBA115R		0 94925 02107 3
1	20	UBITBA120L		0 94925 02101 1
1	20	UBITBA120R		0 94925 02108 0
1	30	UBITBA130L		0 94925 02102 8
1	30	UBITBA130R		0 94925 02109 7
Sleeve Count: 10 Case Count: 120				
2	15	UBITBA215		0 94925 02119 6
2	20	UBITBA220		0 94925 02103 5
2	30	UBITBA230		0 94925 02104 2
2	40	UBITBA240		0 94925 02105 9
2	50	UBITBA250		0 94925 02106 6
Sleeve Count: 10 Case Count: 60				



Type A One Pole-Plug In

Requires 1/2 of One 1" Space

HACR
120/240VAC
10,000 AIC


LEFT CLIP

RIGHT CLIP

Type A Two Pole-Plug In


Requires One 1" Space

HACR
120/240VAC
10,000 AIC



1. Single Pole Breakers Supplied.


Two single-pole breakers are packed in pairs for convenience. These breakers are alike except for the position of the plug-on clip which connects the breaker to the bus stab in the panel.



Left-Hand and Right-Hand Plug-On Clips

2. To Install:


Hook load end of the breaker under the hold-down tab in the panel. Press line end of breaker down so that the plug-in clip slips over the bus stab. Insert breakers by pairs for easier installation.



Bus Stabs and Hold-Down Tabs

3. Between Bus Stabs:

When required, breakers may be installed between bus stabs as shown in the drawing below.



Installation Between Bus Stabs



UBI TYPE NA

SUITABLE REPLACEMENT FOR FEDERAL PACIFIC ELECTRIC®


# of Poles	AMP Rating	Catalog Number	Price	UPC
1	15	UBIF15N		0 94925 01937 7
1	20	UBIF20N		0 94925 01938 4
1	30	UBIF30N		0 94925 01939 1
1	40	UBIF40N		0 94925 41816 3
1	50	UBIF50N		0 94925 41817 0
Sleeve Count: 10 Case Count: 60				
2	15	UBIF215N		0 94925 41811 8
2	20	UBIF220N		0 94925 01940 7
2	30	UBIF230N		0 94925 01941 4
2	40	UBIF240N		0 94925 01942 1
2	50	UBIF250N		0 94925 01943 8
2	60	UBIF260N		0 94925 01944 5
2	70	UBIF270N		0 94925 41809 5
Sleeve Count: 5 Case Count: 30				

Thick Series One Pole-Plug In

Requires One 1" Space

HACR 120/240VAC
10,000 AIC

Corresponds to
Federal Pacific
Electric®
Stab-Lok®
NA Two
Pole
Series



Thick Series Two Pole-Plug In

Requires Two 1" Spaces

HACR 120/240VAC
10,000 AIC

Corresponds to
Federal Pacific Electric®
Stab-Lok® NA Two Pole Series





UBI TYPE NC

SUITABLE REPLACEMENT FOR FEDERAL PACIFIC ELECTRIC®

# of Poles	AMP Rating	Catalog Number	Price	UPC
1	15	UBIF015N		0 94925 01930 8
1	20	UBIF020N		0 94925 01931 5
1	30	UBIF030N		0 94925 01932 2
1	40	UBIF040N		0 94925 41818 7
1	50	UBIF050N		0 94925 41819 4
Sleeve Count: 20 Case Count: 60				

‡SWD Rating applies to the switching of
15 & 20 amp fluorescent lighting circuits only!


2	15	UBIF0215N		0 94925 41810 1
2	20	UBIF0220N		0 94925 01933 9
2	30	UBIF0230N		0 94925 01934 6
2	40	UBIF0240N		0 94925 01935 3
2	50	UBIF0250N		0 94925 01936 0

Sleeve Count: 10
Case Count: 30

Thin Series One Pole-Plug In

Requires 1/2 of One 1" Space
SWD Rated‡ 120/240VAC 10,000 AIC

Corresponds to Federal
Pacific Electric®
Stab-Lok®
NC One Pole Series



Thin Series Two Pole-Plug In

Requires One 1" Space

HACR 120/240 VAC
10,000 AIC

Corresponds to
Federal Pacific
Electric® Stab-Lok®
NC Two Pole
Series






UBI INTERCHANGABLE


UL LISTED CLASSIFIED BREAKERS WORK IN MANY LOAD CENTERS

# of Poles	AMP Rating	Catalog Number	Price	UPC
1	40	UBITB140		
1	50	UBITB150		
2 Singles	15/15	UBITBBD1515		
2 Singles	30/20	UBITBBD3020		
Sleeve Count: 12 Case Count: 48				

Type TB
One Pole
Plug In



Type TB
Twin Pole
Plug In



Requires One 1" Space
HACR SWD Rated for 15 and 20 amp
Flourescent Lighting Circuits
120/240VAC 10,000 AIC

UBI Classified
Breakers

UBI TYPE TB

SUITABLE REPLACEMENT FOR THOMAS & BETTS®

1	15	UBITB115C	
1	40	UBITB140C	
1	50	UBITB150C	
Sleeve Count: 12 Case Count: 96			
2	20	UBITB220C	
2	40	UBITB240C	
2	50	UBITB250C	
Sleeve Count: 6 Case Count: 48			

Type TB One Pole
Plug In
UL Classified



Requires
One 1" Space
HACR 120/240VAC
10,000 AIC

Type TB Two Pole-Plug In
UL Classified



Requires
Two 1" Spaces
HACR 120/240VAC
10,000 AIC



UBI TYPE P

SUITABLE REPLACEMENT FOR PUSHMATIC®

# of Poles	AMP Rating	Catalog Number	Price	UPC
1	15	UBIP115		0 94925 03100 3
1	20	UBIP120		0 94925 03101 0
1	30	UBIP130		0 94925 03102 7
Sleeve Count: 10 Case Count: 150				

*SWD Rating applies to the switching of
15 & 20 amp fluorescent lighting circuits only!

2 Singles	15/15	UBIP1515		0 94925 03110 2
2 Singles	15/20	UBIP1520		0 94925 03112 6
2 Singles	20/20	UBIP2020		0 94925 03111 9
Sleeve Count: 10 Case Count: 150				

2	15	UBIP215		0 94925 03103 4
2	20	UBIP220		0 94925 03104 1
2	30	UBIP230		0 94925 03105 8
2	40	UBIP240		0 94925 03106 5
2	50	UBIP250		0 94925 03107 2
2	60	UBIP260		0 94925 03108 9
2	70	UBIP270		0 94925 03109 6
2	100	UBIP2100		0 94925 03113 3

Sleeve Count: 5
Case Count: 60

Pricing and availability subject to change without notice. Log into your web account for the most up to date product information. No Account? Call today!

Two Pole-Bolt On

One Pole-Bolt On

One-Pole Format
SWD Rated[†] 120VAC
10,000 AIC
Corresponds to
Pushmatic®
One Pole Series



Twin Pole-Bolt On

Twin-Pole Format
SWD Rated[†]
120VAC
10,000 AIC
Corresponds to
Pushmatic®
Twin Pole Series



Two-Pole Format
HACR Rated
120/240VAC 10,000 AIC
Corresponds to Pushmatic®
Two Pole Series


Pushmatic® is a registered trademark
of Siemens Energy and Automation.



# of Poles	AMP Rating	Catalog Number	Price	UPC
2 Singles	15/15	UBIZ1515 (R3815)		0 94925 03030 3
2 Singles	15/20	UBIZ1520 (R381520)		0 94925 03028 0
2 Singles	20/20	UBIZ2020 (R3820)		0 94925 03031 0
2 Singles	30/30	UBIZ3030 (R3830)		0 94925 03032 7
2	15	UBIZ0215 (RC3815)		0 94925 03027 3
2	20	UBIZ0220 (RC3820)		0 94925 03033 4
2	30	UBIZ0230 (RC3830)		0 94925 03034 1
2	35	UBIZ0235 (RC3835)		0 94925 03022 8
2	40	UBIZ0240 (RC3840)		0 94925 03035 8
2	45	UBIZ0245 (RC3845)		0 94925 03023 5
2	50	UBIZ0250 (RC3850)		0 94925 03036 5
2	60	UBIZ0260 (RC3860)		0 94925 03037 2
Sleeve Count: 6 Case Count: 24				
125		UBIZRBK12		0 94925 00346 8
2	125	UBITBFP1252	SPECIAL ORDER ONLY! CALL FOR QUOTE. LEAD TIMES APPLY.	
2	150	UBITBFP1502		0 94925 00748 0
2	175	UBITBFP1752	SPECIAL ORDER ONLY! CALL FOR QUOTE. LEAD TIMES APPLY.	
2	200	UBITBFP2002		0 94925 00746 6


Prices subject to change without notice.
Log into your web account for the most up to date pricing. No web Account? Call Today!

Thin Series Twin Pole Plug In




Requires One 3/4" Space
SWD Rated[†] 120/240VAC 10,000 AIC
Corresponds to Zinsco® R Series


Thin Series Two Pole-Plug In



Requires One 3/4" Space
HACR 120/240VAC 10,000 AIC
Corresponds to Zinsco® RC Series



Zinsco Replacement Buss Bar Assembly



PART# UBIZRBK12

UBITBFP
PART#s




Zinsco® and the Zinsco logo are registered trademarks of Connecticut Electric, Inc.




# of Poles	AMP Rating	Catalog Number	Price	UPC
1	15	UBIZ15 (Q15)		0 94925 03038 9
1	20	UBIZ20 (Q20)		0 94925 03039 6
1	30	UBIZ30 (Q30)		0 94925 03040 2
1	40	UBIZ40 (Q40)		0 94925 00344 4
1	50	UBIZ50 (Q50)		0 94925 00345 1
Sleeve Count: 6 Case Count: 24			*SWD Rating applies to the switching of 15 & 20 amp fluorescent lighting circuits only!	
Catalog numbers in parentheses denote former Zinsco® part numbers.				
2	15	UBIZ215 (QC15)		0 94925 03029 7
2	20	UBIZ220 (QC20)		0 94925 03041 9
2	30	UBIZ230 (QC30)		0 94925 03042 6
2	40	UBIZ240 (QC40)		0 94925 03043 3
2	50	UBIZ250 (QC50)		0 94925 03044 0
2	60	UBIZ260 (QCAL60)		0 94925 03045 7
2	70	UBIZ270 (QCAL70)		0 94925 41812 5
2	80	UBIZ280 (QCAL80)		0 94925 41813 2
2	90	UBIZ290 (QCAL90)		0 94925 41814 9
2	100	UBIZ2100 (QCAL100)		0 94925 03046 4
2	125	UBIZ2125 (QCAL125)		0 94925 41815 6
Sleeve Count: 3 Case Count: 72				

Thick Series One Pole-Plug In



Requires One 3/4" Space
SWD Rated* 120/240VAC
10,000 AIC
Corresponds to Zinsco® Q Series

Thick Series Two Pole-Plug In




Requires Two 3/4" Spaces
HACR 120/240VAC
10,000 AIC
Corresponds to Zinsco® QC Series



UBI WADSWORTH™ FOR USE IN WADSWORTH LOAD CENTERS


# of Poles	AMP Rating	Catalog Number	Price	UPC
1	15	UBIA15NI		0 94925 00810 4
1	20	UBIA20NI		0 94925 00811 1
1	30	UBIA30NI		0 94925 00812 8
1	40	UBIA40NI		0 94925 00813 5
1	50	UBIA50NI		0 94925 00814 2
Case Count: 24				
2	15	UBIA215NI		0 94925 00815 9
2	20	UBIA220NI		0 94925 00816 6
2	30	UBIA230NI		0 94925 00817 3
2	40	UBIA240NI		0 94925 00818 0
2	50	UBIA250NI		0 94925 00819 7
2	60	UBIA260NI		0 94925 00820 3
2	70	UBIA270NI		0 94925 00821 0
2	80	UBIA280NI		0 94925 00830 2
2	90	UBIA290NI		0 94925 00822 7
2	100	UBIA2100NI		0 94925 00823 4
Case Count: 12				
Wadsworth™ and the Wadsworth logo are trademarks of Connecticut Electric, Inc.				

Type A One Pole-Plug In




Requires One 1" Space
HACR 120VAC
10,000 AIC

Type A Two Pole-Plug In



Requires Two 1" Spaces
HACR 120/240VAC
10,000 AIC



Connecticut Electric Inc.

is proud to be an

Authorized Distributor

of

Siemens Circuit Breakers

SIEMENS



MURRAY®

# of Poles	AMP Rating	Catalog Number	Price	UPC
1	15	MURMP115		0 40892 51888 7
1	20	MURMP120		0 40892 51889 4
1	30	MURMP130		0 40892 51891 7
1	40	MURMP140		0 40892 51892 4
1	50	MURMP150		0 40892 51900 6
Sleeve Count: 12 Case Count: 48				
1	15	MURMP115GFI		0 40892 27805 7
1	20	MURMP120GFI		0 40892 27815 6
1	30	MURMP130GFI		0 40892 52225 9
2	20	MURMP220GFI		0 40892 52996 8
2	50	MURMP250GFI		0 40892 52998 2
2	60	MURMP260GFI		0 40892 52999 9


Call us, or log into your web account
for current price and availability!
No web account?
Go to: www.connecticut-electric.com
SIGN UP TODAY!

Type MP-T One Pole-Plug In




Requires One 1" Space
HACR SWD Rated
120/240VAC 10,000 AIC

Type MP-GT One Pole-Plug In Ground Fault Circuit Interrupter



Requires One
1" Space
120VAC
10,000 AIC

Type MP-GT Two Pole-Plug In Ground Fault Circuit Interrupter




Requires Two
1" Spaces
120/240VAC
10,000 AIC



MURRAY®

# of Poles	AMP Rating	Catalog Number	Price	UPC
2	15	MURMP215		0 40892 51893 1
2	20	MURMP220		0 40892 51894 8
2	30	MURMP230		0 40892 51896 2
2	40	MURMP240		0 40892 51897 9
2	50	MURMP250		0 40892 51898 6
2	60	MURMP260		0 40892 51899 3
2	70	MURMP270		0 40892 27980 1
2	80	MURMP280		0 40892 27990 0
2	90	MURMP290		0 40892 28000 5
2	100	MURMP2100		0 40892 50755 3
2	125	MURMP2125		0 40892 28119 4
Sleeve Count: 6 Case Count: 24				
2 Singles 15/15		MURMP1515		0 40892 28060 9
2 Singles 15/20		MURMP1520		0 40892 52199 3
2 Singles 20/20		MURMP2020		0 40892 28110 1
2 Singles 30/30		MURMP3030		0 40892 50776 8
Sleeve Count: 12 Case Count: 48				
Pricing and availability subject to change without notice. Log into your web account for the most up to date product information. No Account? Call today!				


Type MP-T Two Pole-Plug In



Requires Two 1" Spaces
HACR 120/240VAC
10,000 AIC

Call us, or log into your web account
for current price and availability!
No web account?
Go to: www.connecticut-electric.com
SIGN UP TODAY!

Type MH-T Twin Pole-Plug In



Requires
One 1" Space
HACR 120/240VAC 10,000 AIC



SIEMENS®

# of Poles	AMP Rating	Catalog Number	Price	UPC
1	15	ITEQ115		7 83643 14818 5
1	20	ITEQ120		7 83643 14819 2
1	30	ITEQ130		7 83643 14821 5
1	40	ITEQ140		7 83643 14822 2
1	50	ITEQ150		7 83643 14823 9
Sleeve Count: 12 Case Count: 48				
2 Singles	15/15	ITEQ1515		7 83643 14824 6
2 Singles	15/20	ITEQ1520		7 83643 14825 3
2 Singles	20/20	ITEQ2020		7 83643 14826 0
2 Singles	30/15	ITEQ3015		7 83643 15658 6
2 Singles	30/30	ITEQ3030		7 83643 15653 1
Sleeve Count: 12 Case Count: 48				
2 Singles	15/15	ITEQ1515NC		7 83643 15660 9
2 Singles	15/20	ITEQ1520NC		7 83643 15661 6
2 Singles	20/20	ITEQ2020NC		7 83643 15662 3
Sleeve Count: 12 Case Count: 48				


Siemens twin breakers have two different styles. The "NC" style has no rejection clip and is suitable for use in load centers made before 1969.

Type QP One Pole-Plug In




Requires One 1" Space
HACR
SWD Rated
120/240VAC
10,000 AIC

Type QT Twin Pole-Plug In



Requires One
1" Space
HACR
120/240VAC
10,000 AIC

Type QT Twin Pole-Plug In -NC-




Requires One
1" Space
HACR
120/240VAC
10,000 AIC



SIEMENS®

# of Poles	AMP Rating	Catalog Number	Price	UPC
2	15	ITEQ215		7 83643 14835 2
2	20	ITEQ220		7 83643 14836 9
2	25	ITEQ225		7 83643 14837 6
2	30	ITEQ230		7 83643 14838 3
2	35	ITEQ235		7 83643 16765 0
2	40	ITEQ240		7 83643 14863 5
2	45	ITEQ245		7 83643 16778 0
2	50	ITEQ250		7 83643 14864 2
2	60	ITEQ260		7 83643 14865 9
2	70	ITEQ270		7 83643 14866 6
2	80	ITEQ280		7 83643 15674 6
2	90	ITEQ290		7 83643 14867 3
2	100	ITEQ2100		7 83643 14868 0
2	125	ITEQ2125		7 83643 14869 7
Sleeve Count: 6 Case Count: 24				
2	150	ITEMBK150		7 83643 15897 9
2	200	ITEMBK200		7 83643 15898 6


Type QP Two Pole-Plug In



Requires Two 1" Spaces
HACR 120/240VAC
10,000 AIC

Call us, or log into your web account
for current price and availability!
No web account?
Go to: www.connecticut-electric.com
SIGN UP TODAY!

Type MBK Main Breaker



Replacement
4-1/2" x 5" x 3"
120/240VAC 22,000 AIC

Pricing and availability subject to change without notice. Log into your web account for the most up to date product information. No Account? Call today!




SIEMENS®

# of Poles	AMP Rating	Catalog Number	UPC
3	15	ITEQ315	7 83643 14839 0
3	20	ITEQ320	7 83643 14840 6
3	30	ITEQ330	7 83643 14841 3
3	40	ITEQ340	7 83643 14842 0
3	50	ITEQ350	7 83643 14843 7
3	60	ITEQ360	7 83643 14844 4
3	70	ITEQ370	7 83643 14845 1
3	80	ITEQ380	7 83643 15676 0
3	90	ITEQ390	7 83643 14846 8
3	100	ITEQ3100	7 83643 14847 5
4	2 SETS 20/20	ITEQ22020	7 83643 14829 1
4	2 SETS 30/20	ITEQ23020	7 83643 14830 7
4	2 SETS 30/50	ITEQ23050	7 83643 25558 6
4	2 SETS 40/20	ITEQ24020	7 83643 14832 1
4	2 SETS 40/40	ITEQ24040	7 83643 14834 5
4	2 SETS 15/15	ITEQ21515CT	7 83643 25757 3
4	2 SETS 15/20	ITEQ21520CT	7 83643 19495 3
4	2 SETS 15/30	ITEQ21530CT	7 83643 19496 0
4	2 SETS 15/40	ITEQ21540CT	7 83643 19497 7
4	2 SETS 15/50	ITEQ21550CT	7 83643 19498 4


Call us today for
the best possible price!

Type QP Three Pole-Plug In



Requires
Three 1" Spaces
HACR 240VAC
10,000 AIC

Type QT Quad Pole-
Plug In, Non-Common Trip



CT (Common Trip)
Parts shown on next page




SIEMENS®

# of Poles	AMP Rating	Catalog Number	UPC
4	2 SETS 20/15	ITEQ22015CT	7 83643 45813 0
4	2 SETS 20/20	ITEQ22020CT	7 83643 19499 1
4	2 SETS 20/30	ITEQ22030CT	7 83643 19500 4
4	2 SETS 20/40	ITEQ22040CT	7 83643 19501 1
4	2 SETS 20/50	ITEQ22050CT	7 83643 19502 8
4	2 SETS 30/30	ITEQ23030CT	7 83643 18826 6
4	2 SETS 30/50	ITEQ23050CT	7 83643 08398 1
4	2 SETS 15/15	ITEQ21515CT2	7 83643 08391 2
4	2 SETS 15/30	ITEQ21530CT2	8 87621 02430 7
4	2 SETS 15/40	ITEQ21540CT2	8 87621 40985 2
4	2 SETS 15/50	ITEQ21550CT2	7 83643 44173 6
4	2 SETS 20/20	ITEQ22020CT2	7 83643 08392 9
4	2 SETS 20/50	ITEQ22050CT2	8 87621 02438 3
4	2 SETS 30/20	ITEQ23020CT2	7 83643 08393 6
4	2 SETS 30/30	ITEQ23030CT2	7 83643 08394 3
4	2 SETS 30/40	ITEQ23040CT2	7 83643 43476 9
4	2 SETS 30/50	ITEQ23050CT2	7 83643 08398 1
4	2 SETS 40/20	ITEQ24020CT2	7 83643 08395 0
4	2 SETS 40/30	ITEQ24030CT2	7 83643 08396 7
4	2 SETS 40/40	ITEQ24040CT2	7 83643 08397 4

Call Us Today
for Current Pricing!

Call us, or log into your web account
for current price and availability!
No web account?
Go to: www.connecticut-electric.com
SIGN UP TODAY!

Type QT Quad Pole-
Plug In, Common Trip Centers



Requires
Two 1" Spaces
HACR 120/240VAC
10,000 AIC

Part numbers ending in CT have two pole
common trip centers.
Part numbers ending in **CT2** have common
trip centers and outside poles, creating 2,
two pole breakers in just a 2" package!
Call for Pricing and Additional Details

Pricing and availability subject to change without
notice. Log into your web account for the most up
to date product information. No Account? Call today!




SIEMENS®

# of Poles	AMP Rating	Catalog Number	Price	UPC
1	15	ITEQF115		7 83643 14857 4
1	20	ITEQF120		7 83643 14858 1
1	30	ITEQF130		7 83643 14859 8
Case Count: 30				
2	15	ITEQF215		7 83643 14854 3
2	20	ITEQF220		7 83643 14855 0
2	30	ITEQF230		7 83643 14856 7
2	40	ITEQF240		7 83643 25758 0
2	50	ITEQF250		7 83643 27376 4
2	60	ITEQF260		7 83643 27377 1
Case Count: 10				
				Call us, or log into your web account for current price and availability!
1	15	ITED115		7 83643 23962 3
1	20	ITED120		7 83643 23963 0
1	30	ITED130		7 83643 23964 7
1	40	ITED140		7 83643 23965 4
1	50	ITED150		7 83643 23966 1
Sleeve Count: 16 Case Count: 64				


Type QPF One Pole-Plug In Ground Fault Circuit Interrupter

Requires
One 1" Space
HACR 120VAC
10,000 AIC



Type QPF Two Pole-Plug In Ground Fault Circuit Interrupter

Requires Two 1" Spaces
120/240VAC 10,000 AIC



Type QD One Pole-Plug In

Requires One 3/4" Space
HACR SWD Rated 120/240VAC 10,000 AIC
Suitable Replacement for
QO® Square D® Breakers.




QO® and Square D®
are registered trademarks of Schneider Electric



SIEMENS®


# of Poles	AMP Rating	Catalog Number	Price	UPC
2	15	ITED215		7 83643 31874 8
2	20	ITED220		7 83643 24442 9
2	30	ITED230		7 83643 24443 4
2	40	ITED240		7 83643 24444 2
2	50	ITED250		7 83643 24445 0
2	60	ITED260		7 83643 25342 1
Sleeve Count: 8 Case Count: 32				
1	15	ITEB115		7 83643 26341 3
1	20	ITEB120		7 83643 26342 0
1	30	ITEB130		7 83643 26344 4
1	40	ITEB140		7 83643 26346 8
1	50	ITEB150		7 83643 26348 2
1	60	ITEB160		7 83643 26350 5
Sleeve Count: 12 Case Count: 48				

Type QD Two Pole-Plug In



Requires Two 3/4" Spaces
HACR 120/240VAC 10,000 AIC
Suitable Replacement for
QO® Square D® Breakers.

Type BL One Pole-Bolt On



Requires One 1" Space
HACR SWD Rated
120/240VAC 10,000 AIC

NO PRICE LISTED?
Call us, or log into your web account
for current price and availability!
No web account?
Go to: www.connecticut-electric.com
SIGN UP TODAY!




SIEMENS®

# of Poles	AMP Rating	Catalog Number	UPC
2	15	ITEB215	7 83643 26352 9
2	20	ITEB220	7 83643 26353 6
2	25	ITEB225	7 83643 26354 3
2	30	ITEB230	7 83643 26355 0
2	35	ITEB235	7 83643 26356 7
2	40	ITEB240	7 83643 26357 4
2	50	ITEB250	7 83643 26359 8
2	60	ITEB260	7 83643 26360 4
2	70	ITEB270	7 83643 26361 1
2	80	ITEB280	7 83643 00093 3
2	90	ITEB290	7 83643 26363 5
2	100	ITEB2100	7 83643 26364 2
Sleeve Count: 6 Case Count: 12			
3	15	ITEB315	7 83643 26368 0
3	20	ITEB320	7 83643 26369 7
3	30	ITEB330	7 83643 26371 0
3	40	ITEB340	7 83643 26373 4
3	50	ITEB350	7 83643 26375 8

Call Us for Best Possible Pricing!

Type BL Two Pole-Bolt On



Requires Two 1" Spaces
HACR 120/240VAC
10,000 AIC

Call us, or log into your web account
for current price and availability!
No web account?
Go to: www.connecticut-electric.com
SIGN UP TODAY!

Type BL Three Pole-Bolt On

Requires Three 1" Spaces
HACR 240VAC
10,000 AIC

Image Shown on Next Page.




SIEMENS®

# of Poles	AMP Rating	Catalog Number	UPC
Type BL Three Pole-Bolt On (Continued)			
3	60	ITEB360	7 83643 26376 5
3	70	ITEB370	7 83643 26377 2
3	80	ITEB380	7 83643 26378 9
3	90	ITEB390	7 83643 26379 6
3	100	ITEB3100	7 83643 26380 2
Sleeve Count: 4 Case Count: 16		Call us, or log into your web account for current price and availability!	
1	15	ITEBQ1B015	7 83643 10230 9
1	20	ITEBQ1B020	7 83643 10232 3
1	30	ITEBQ1B030	7 83643 10234 7
1	40	ITEBQ1B040	7 83643 10236 1
1	50	ITEBQ1B050	7 83643 10238 5
Sleeve Count: 12 Case Count: 24			
2	15	ITEBQ2B015	7 83643 10240 8
2	20	ITEBQ2B020	7 83643 10241 5
2	30	ITEBQ2B030	7 83643 10242 2
2	40	ITEBQ2B040	7 83643 10243 9


Pricing and availability subject to change without notice. Log into your web account for the most up to date product information. No Account? Call today!

Type BL Three Pole-Bolt On



Requires Three 1" Spaces
HACR 240VAC
10,000 AIC

Type BQ One Pole-Bolt On



Requires One 1" Space
HACR 120VAC 10,000 AIC

Type BQ Two Pole-Bolt On

Requires Two 1" Spaces
HACR 120/240VAC
10,000 AIC


Image Shown on Next Page



SIEMENS®


# of Poles	AMP Rating	Catalog Number	UPC
2	50	ITEBQ2B050	7 83643 10244 6
2	60	ITEBQ2B060	7 83643 10245 3
2	70	ITEBQ2B070	7 83643 10246 0
2	80	ITEBQ2B080	7 83643 16123 8
2	90	ITEBQ2B090	7 83643 10247 7
2	100	ITEBQ2B100	7 83643 10248 4
Sleeve Count: 6 Case Count: 24			Call us, or log into your web account for current price and availability!
3	15	ITEBQ3B015	7 83643 10258 3
3	20	ITEBQ3B020	7 83643 10259 0
3	30	ITEBQ3B030	7 83643 10260 6
3	40	ITEBQ3B040	7 83643 10261 3
3	50	ITEBQ3B050	7 83643 10262 0
3	60	ITEBQ3B060	7 83643 10263 7
3	70	ITEBQ3B070	7 83643 10264 4
3	80	ITEBQ3B080	7 83643 16128 3
3	90	ITEBQ3B090	7 83643 10265 1
3	100	ITEBQ3B100	7 83643 10266 8
Sleeve Count: 4 Case Count: 16			

Type BQ Two Pole-Bolt On



Requires Two 1" Spaces
HACR 120/240VAC 10,000 AIC

Type BQ Three Pole-Bolt On



Requires Three 1" Spaces
HACR 240VAC
10,000 AIC



Connecticut Electric


Quality Electrical Products • Since 1906

www.connecticut-electric.com • 800-730-2557

SIEMENS®

# of Poles	AMP Rating	Catalog Number	UPC
1	20	ITEBQD120	7 83643 27709 0
2	20	ITEBQD220	7 83643 27722 9
2	40	ITEBQD240	7 83643 27728 7
3	20	ITEBQD320	7 83643 27735 9
3	80	ITEBQD380	7 83643 27744 1
3	100	ITEBQD3100	7 83643 27746 5
Call us, or log into your web account for current price and availability!			

Type BQD Two Pole-Bolt On



Requires One, 1" Space Per Pole

Connecticut Electric

Quality Electrical Products • Since 1906

The People Behind the Product!



Image provided courtesy of RV PRO




Replacement Circuit Breakers Display Systems

Specifications

Shelf Display

Connecticut Electric's cut-case boxes are specially designed to fit neatly and efficiently side-by-side on a shelf.



width x height x length (inches)

Box A 4 x 6-1/4 x 6-3/4

Box B 6-1/2 x 6 x 8-1/4

Peghook Display

It's easy for your customer to locate and identify the exact breaker they need—both by amperage and by manufacturer.

Color-coded clamshell packaging corresponds to manufacturers' header card above it.

We've Got Your Amp!

Our amperage cards provide helpful information for making the correct purchase.




	ITE	Wadsworth	Challenger	Federal	Federal	Pushmatic	Zinsco	Zinsco
15	Q115	UBA15N	TBA15L	UBF015	UBF15	UBIP115	UBZ1515	UBZ15
20	Q120	UBA20N	TBA20L	UBF020	UBF20	UBIP120	UBZ2020	UBZ20
20	Q220	UBA30N	TBA220	UBF0220	UBF220	UBIP220	UBZ0220	UBZ220
20	Q230	UBA40N	TBA230	UBF0230	UBF230	UBIP230	UBZ0230	UBZ230
20	Q240	UBA50N	TBA240	UBF0240	UBF240	UBIP240	UBZ0240	UBZ240
50	Q250	UBA25N	TBA250	UBF0250	UBF250	UBIP250	UBZ0250	UBZ250
60	Q260	UBA220N	TBA220L	UBF0260	UBF260	UBIP260	UBZ0260	UBZ260

48"



54"

Load Center and Circuit Breaker Cross-Reference

YOUR PANEL: WILL ACCEPT THESE BREAKERS:	Cutler-Hammer	Federal Pacific	General Electric	Homeline	Pushmatic	Zinsco	
	Cutler-Hammer CH Series	Federal UBI Type FN	General Electric	Homeline	Pushmatic UBI Type P	Zinsco UBI Type Z	
YOUR PANEL: WILL ACCEPT THESE BREAKERS:	ITE	Crouse		Montgomery	General		
	Siemens	Hinds	Westinghouse	Ward	Switch	Challenger	Wadsworth
	Crouse	Crouse	Crouse	Crouse	Crouse	Crouse	Wadsworth
	Hinds/Murray	Hinds/Murray	Hinds/Murray	Hinds/Murray	Hinds/Murray	Hinds/Murray	
	Cutler-Hammer BR	Bryant	Bryant	Bryant	Bryant	Bryant	
	GE-Thick	Cutler-Hammer BR	Cutler-Hammer BR	Cutler-Hammer BR	Cutler-Hammer BR	Challenger A Series	
	Homeline	GE-Thick	GE-Thick	GE-Thick	GE-Thick	Challenger C Series	
	Westinghouse	General Switch	General Switch	General Switch	General Switch	Cutler-Hammer BR	
	Montgomery Ward	Homeline	Homeline	Homeline	Homeline	GE-Thick	
	Siemens	Siemens	Siemens	Siemens	Siemens	General Switch	
		Westinghouse	Westinghouse	Westinghouse	Westinghouse	Homeline	
						Siemens	
						Westinghouse	



Clamshell Size Details





Catalog Number	Product Description	Clam Shell Type	Breaker Page#	Price	UPC
Packaged Challenger™ - Type A					
VPKA115L	Challenger™ circuit breaker type A. 1-pole 15A, left hand clip. Clamshell packaged.	CS1	2		0 94925 01909 4
VPKA115R	Challenger™ circuit breaker type A. 1-pole 15A, right hand clip. Clamshell packaged.	CS1	2		0 94925 01892 9
VPKA120L	Challenger™ circuit breaker type A. 1-pole 20A, left hand clip. Clamshell packaged.	CS1	2		0 94925 01893 6
VPKA120R	Challenger™ circuit breaker type A. 1-pole 20A, right hand clip. Clamshell packaged.	CS1	2		0 94925 01894 3
VPKA130L	Challenger™ circuit breaker type A. 1-pole 30A, left hand clip. Clamshell packaged.	CS1	2		0 94925 01895 0
VPKA130R	Challenger™ circuit breaker type A. 1-pole 30A, right hand clip. Clamshell packaged.	CS1	2		0 94925 01896 7
VPKA215	Challenger™ circuit breaker type A. 2-pole 15A, Clamshell packaged.	CS2	2		0 94925 01919 3
VPKA220	Challenger™ circuit breaker type A. 2-pole 20A, Clamshell packaged.	CS2	2		0 94925 01912 4
VPKA230	Challenger™ circuit breaker type A. 2-pole 30A, Clamshell packaged.	CS2	2		0 94925 01913 1
VPKA240	Challenger™ circuit breaker type A. 2-pole 40A, Clamshell packaged.	CS2	2		0 94925 01914 8
VPKA250	Challenger™ circuit breaker type A. 2-pole 50A, Clamshell packaged.	CS2	2		0 94925 01915 5

Sign Up on Our Website for Your Online Account Today and Get These Great Benefits:

- ▶ **Convenient 24/7 ordering capabilities**
- ▶ **Check Current Pricing**
- ▶ **Check Product Stock Levels**
- ▶ **Up to the Minute Order Status and Tracking**

1% DISCOUNT ON ALL WEB ORDERS!

DURING CHECKOUT USE PROMO-CODE: WEB



Catalog Number	Product Description	Clam Shell Type	Breaker Page#	Price	UPC
Packaged UBI - Type FN					
VPKUBIF015N	Connecticut Electric circuit breaker type UBIF (thin). 1-pole 15A Clamshell packaged	CS1	4		0 94925 00600 1
VPKUBIF020N	Connecticut Electric circuit breaker type UBIF (thin). 1-pole 20A Clamshell packaged	CS1	4		0 94925 00601 8
VPKUBIF030N	Connecticut Electric circuit breaker type UBIF (thin). 1-pole 30A Clamshell packaged	CS1	4		0 94925 00602 5
VPKUBIF040N	Connecticut Electric circuit breaker type UBIF (thin). 1-pole 40A Clamshell packaged	CS1	4		0 94925 00621 6
VPKUBIF050N	Connecticut Electric circuit breaker type UBIF (thin). 1-pole 50A Clamshell packaged	CS1	4		0 94925 00622 3
VPKUBIF0215N	Connecticut Electric circuit breaker type UBIF (thin). 2-pole 15A Clamshell packaged	CS1	4		0 94925 00616 2
VPKUBIF0220N	Connecticut Electric circuit breaker type UBIF (thin). 2-pole 20A Clamshell packaged	CS1	4		0 94925 00603 2
VPKUBIF0230N	Connecticut Electric circuit breaker type UBIF (thin). 2-pole 30A Clamshell packaged	CS1	4		0 94925 00604 9
VPKUBIF0240N	Connecticut Electric circuit breaker type UBIF (thin). 2-pole 40A Clamshell packaged	CS1	4		0 94925 00605 6
VPKUBIF0250N	Connecticut Electric circuit breaker type UBIF (thin). 2-pole 50A Clamshell packaged	CS1	4		0 94925 00606 3
VPKUBIF15N	Connecticut Electric circuit breaker type UBIF (thick). 1-pole 15A Clamshell packaged	CS3	3		0 94925 00607 0
VPKUBIF20N	Connecticut Electric circuit breaker type UBIF (thick). 1-pole 20A Clamshell packaged	CS3	3		0 94925 00608 7

Quick, Accurate, and Reliable...

In 2013

**Connecticut Electric's shipping stats
were over 99% for being
correct, complete, and on time!**



Catalog Number	Product Description	Clam Shell Type	Breaker Page#	Price	UPC
Packaged UBI - Type FN (Continued)					
VPKUBIF30N	Connecticut Electric circuit breaker type UBIF (thick). 1-pole 30A Clamshell packaged	CS1	3		0 94925 00609 4
VPKUBIF40N	Connecticut Electric circuit breaker type UBIF (thick). 1-pole 40A Clamshell packaged	CS1	3		0 94925 01837 0
VPKUBIF50N	Connecticut Electric circuit breaker type UBIF (thick). 1-pole 50A Clamshell packaged	CS1	3		0 94925 01838 7
VPKUBIF215N	Connecticut Electric circuit breaker type UBIF (thick). 2-pole 15A Clamshell packaged	CS3	3		0 94925 00617 9
VPKUBIF220N	Connecticut Electric circuit breaker type UBIF (thick). 2-pole 20A Clamshell packaged	CS3	3		0 94925 00610 0
VPKUBIF230N	Connecticut Electric circuit breaker type UBIF (thick). 2-pole 30A Clamshell packaged	CS3	3		0 94925 00611 7
VPKUBIF240N	Connecticut Electric circuit breaker type UBIF (thick). 2-pole 40A Clamshell packaged	CS3	3		0 94925 00612 4
VPKUBIF250N	Connecticut Electric circuit breaker type UBIF (thick). 2-pole 50A Clamshell packaged	CS3	3		0 94925 00613 1
VPKUBIF260N	Connecticut Electric circuit breaker type UBIF (thick). 2-pole 60A Clamshell packaged	CS3	3		0 94925 00614 8
VPKUBIF270N	Connecticut Electric circuit breaker type UBIF (thick). 2-pole 70A Clamshell packaged	CS3	3		0 94925 00618 6
Packaged UBI - Type P					
VPKUBIP115	Connecticut Electric circuit breaker type UBIP 1-pole, 15A Clamshell packaged	CS2	6		0 94925 00400 7
VPKUBIP120	Connecticut Electric circuit breaker type UBIP 1-pole, 20A Clamshell packaged	CS2	6		0 94925 00401 4
VPKUBIP130	Connecticut Electric circuit breaker type UBIP 1-pole, 30A Clamshell packaged	CS2	6		0 94925 00402 1
VPKUBIP215	Connecticut Electric circuit breaker type UBIP 2-pole, 15A Clamshell packaged	CS5	6		0 94925 00411 3
VPKUBIP220	Connecticut Electric circuit breaker type UBIP 2-pole, 20A Clamshell packaged	CS5	6		0 94925 00405 2
VPKUBIP230	Connecticut Electric circuit breaker type UBIP 2-pole, 30A Clamshell packaged	CS5	6		0 94925 00406 9



Catalog Number	Product Description	Clam Shell Type	Breaker Page#	Price	UPC
Packaged UBI - Type P (Continued)					
VPKUBIP240	Connecticut Electric circuit breaker type UBIP 2-pole, 40A Clamshell packaged	CS5	6		0 94925 00407 6
VPKUBIP250	Connecticut Electric circuit breaker type UBIP 2-pole, 50A Clamshell packaged	CS5	6		0 94925 00408 3
VPKUBIP260	Connecticut Electric circuit breaker type UBIP 2-pole, 60A Clamshell packaged	CS5	6		0 94925 00409 0
VPKUBIP270	Connecticut Electric circuit breaker type UBIP 2-pole, 70A Clamshell packaged	CS5	6		0 94925 00414 4
VPKUBIP2100	Connecticut Electric circuit breaker type UBIP 2-pole, 100A Clamshell packaged	CS5	6		0 94925 00413 7
VPKUBIP1515	Connecticut Electric circuit breaker type UBIP 1-pole Twin, 15A/15A Clamshell packaged	CS5	5		0 94925 00403 8
VPKUBIP1520	Connecticut Electric circuit breaker type UBIP 1-pole Twin, 15A/20A Clamshell packaged	CS5	5		0 94925 00412 0
VPKUBIP2020	Connecticut Electric circuit breaker type UBIP 1-pole Twin, 20A/20A Clamshell packaged	CS5	5		0 94925 00404 5
Packaged UBI - Type Z - Thin					
VPKUBIZ0220	Zinsco® replacement circuit breaker type UBIZ (type RC3820) 2-pole 20A Clamshell packaged	CS4	11		0 94925 00310 9
VPKUBIZ0230	Zinsco® replacement circuit breaker type UBIZ (type RC3830) 2-pole 30A Clamshell packaged	CS4	11		0 94925 00311 6
VPKUBIZ0240	Zinsco® replacement circuit breaker type UBIZ (type RC3840) 2-pole 40A Clamshell packaged	CS4	11		0 94925 00312 3
VPKUBIZ0250	Zinsco® replacement circuit breaker type UBIZ (type RC3850) 2-pole 50A Clamshell packaged	CS4	11		0 94925 00313 0
VPKUBIZ0260	Zinsco® replacement circuit breaker type UBIZ (type RC3860) 2-pole 60A Clamshell packaged	CS4	11		0 94925 00314 7

View-Pak circuit breakers from Connecticut Electric Inc. come in versatile packaging. The box can be configured for an on the shelf dispenser, or the convenient clamshell packaging can be displayed on pegs. View-Pak breakers are ideal for any retail situation!



Catalog Number	Product Description	Clam Shell Type	Breaker Page#	Price	UPC
Packaged UBI - Type Z - Thick					
VPKUBIZ15	Zinsco® replacement circuit breaker type UBIZ (type Q15) 1-pole 15A Clamshell packaged	CS4	8		0 94925 00300 0
VPKUBIZ20	Zinsco® replacement circuit breaker type UBIZ (type Q20) 1-pole 20A Clamshell packaged	CS4	8		0 94925 00301 7
VPKUBIZ30	Zinsco® replacement circuit breaker type UBIZ (type Q30) 1-pole 30A Clamshell packaged	CS4	8		0 94925 00302 4
VPKUBIZ220	Zinsco® replacement circuit breaker type UBIZ (type QC20) 2-pole 20A Clamshell packaged	CS5	8		0 94925 00303 1
VPKUBIZ230	Zinsco® replacement circuit breaker type UBIZ (type QC30) 2-pole 30A Clamshell packaged	CS5	8		0 94925 00304 8
VPKUBIZ240	Zinsco® replacement circuit breaker type UBIZ (type QC40) 2-pole 40A Clamshell packaged	CS5	8		0 94925 00305 5
VPKUBIZ250	Zinsco® replacement circuit breaker type UBIZ (type QC50) 2-pole 50A Clamshell packaged	CS5	8		0 94925 00306 2
VPKUBIZ260	Zinsco® replacement circuit breaker type UBIZ (type QC60) 2-pole 60A Clamshell packaged	CS5	8		0 94925 00307 9
VPKUBIZ270	Zinsco® replacement circuit breaker type UBIZ (type QCAL70) 2-pole 70A Clamshell packaged	CS5	8		0 94925 03152 2
VPKUBIZ280	Zinsco® replacement circuit breaker type UBIZ (type QCAL80) 2-pole 80A Clamshell packaged	CS5	8		0 94925 03153 9
VPKUBIZ290	Zinsco® replacement circuit breaker type UBIZ (type QCAL90) 2-pole 90A Clamshell packaged	CS5	8		0 94925 03154 6
VPKUBIZ2100	Zinsco® replacement circuit breaker type UBIZ (type QCAL100) 2-pole 100A Clamshell packaged	CS5	8		0 94925 00316 1

Save 1% on all internet orders!
Need a web account?
Call Today: 800-730-2557



Catalog Number	Product Description	Clam Shell Type	Breaker Page#	Price	UPC
Packaged UBI - Type Z - Twin					
VPKUBIZ1515	Zinsco® replacement circuit breaker type UBIZ (type R3815) Twin 1-pole 15A/15A Clamshell packaged	CS4	7		0 94925 00308 6
VPKUBIZ1520	Zinsco® replacement circuit breaker type UBIZ (type R381520) Twin 1-pole 15A/20A Clamshell packaged	CS4	7		0 94925 00333 8
VPKUBIZ2020	Zinsco® replacement circuit breaker type UBIZ (type R3820) Twin 1-pole 20A/20A Clamshell packaged	CS4	7		0 94925 00309 3
VPKUBIZ3030	Zinsco® replacement circuit breaker type UBIZ (type R3830) Twin 1-pole 30A/30A Clamshell packaged	CS4	7		0 94925 00315 4
Packaged Wadsworth™ - Type A					
VPKWA15	Wadsworth™ circuit breaker Type A 1-pole 15A Clamshell packaged	CS4	9		0 94925 00800 5
VPKWA20	Wadsworth™ circuit breaker Type A 1-pole 20A Clamshell packaged	CS4	9		0 94925 00801 2
VPKWA30	Wadsworth™ circuit breaker Type A 1-pole 30A Clamshell packaged	CS4	9		0 94925 00802 9
VPKWA220	Wadsworth™ circuit breaker Type A 2-pole 20A Clamshell packaged	CS5	9		0 94925 00803 6
VPKWA230	Wadsworth™ circuit breaker Type A 2-pole 30A Clamshell packaged	CS5	9		0 94925 00804 3
VPKWA240	Wadsworth™ circuit breaker Type A 2-pole 40A Clamshell packaged	CS5	9		0 94925 00805 0
VPKWA250	Wadsworth™ circuit breaker Type A 2-pole 50A Clamshell packaged	CS5	9		0 94925 00806 7
VPKWA260	Wadsworth™ circuit breaker Type A 2-pole 60A Clamshell packaged	CS5	9		0 94925 00807 4

**Circuit breaker pricing and availability is subject to change.
Use your web account to get the most accurate and up to date prices on our products.**



Catalog Number	Product Description	Clam Shell Type	Breaker Page#	UPC
Packaged Interchangeable		For pricing and availability call us or log into your web account for the most up to date pricing. No web Account? Call Today!		
VPKICBQ115	Interchangeable 1" circuit breaker. 1-pole 15A Clamshell packaged	CS1	13	0 94925 00700 8
VPKICBQ120	Interchangeable 1" circuit breaker. 1-pole 20A Clamshell packaged	CS1	13	0 94925 00701 5
VPKICBQ130	Interchangeable 1" circuit breaker. 1-pole 30A Clamshell packaged	CS1	13	0 94925 00702 2
VPKICBQ215	Interchangeable 2" circuit breaker. 2-pole 15A Clamshell packaged	CS3	14	0 94925 00710 7
VPKICBQ220	Interchangeable 2" circuit breaker. 2-pole 20A Clamshell packaged	CS3	14	0 94925 00703 9
VPKICBQ230	Interchangeable 2" circuit breaker. 2-pole 30A Clamshell packaged	CS3	14	0 94925 00704 6
VPKICBQ235	Interchangeable 2" circuit breaker. 2-pole 35A Clamshell packaged	CS3	14	0 94925 00709 1
VPKICBQ240	Interchangeable 2" circuit breaker. 2-pole 40A Clamshell packaged	CS3	14	0 94925 00705 3
VPKICBQ245	Interchangeable 2" circuit breaker. 2-pole 45A Clamshell packaged	CS3	14	0 94925 00711 4
VPKICBQ250	Interchangeable 2" circuit breaker. 2-pole 50A Clamshell packaged	CS3	14	0 94925 00706 0
VPKICBQ260	Interchangeable 2" circuit breaker. 2-pole 60A Clamshell packaged	CS3	14	0 94925 00708 4
VPKICBQ2100	Interchangeable 2" circuit breaker. 2-pole 100A Clamshell packaged	CS3	14	0 94925 00712 1



Catalog Number	Product Description	Clam Shell Type	Breaker Page#	UPC
Packaged Interchangeable (Continued)				
VPKICBQ1515	Interchangeable Twin 1" circuit breaker. Twin 1-pole 15A/15A Clamshell packaged	CS1	13	0 94925 00714 5
VPKICBQ1520	Interchangeable Twin 1" circuit breaker. Twin 1-pole 15A/20A Clamshell packaged	CS1	13	0 94925 01720 5
VPKICBQ2020	Interchangeable Twin 1" circuit breaker. Twin 1-pole 20A/20A Clamshell packaged	CS1	13	0 94925 00715 2
Packaged Seimens - Type QP		For pricing and availability call us or log into your web account for the most up to date pricing. No web Account? Call Today!		
VPKQ115	Siemens® circuit breaker type QP. 1- pole 15A Clamshell packaged	CS1	13	0 94925 01400 6
VPKQ120	Siemens® circuit breaker type QP. 1- pole 20A Clamshell packaged	CS1	13	0 94925 01401 3
VPKQ130	Siemens® circuit breaker type QP. 1- pole 30A Clamshell packaged	CS1	13	0 94925 01402 0
VPKQ215	Siemens® circuit breaker type QP. 2- pole 15A Clamshell packaged	CS3	14	0 94925 01403 7
VPKQ220	Siemens® circuit breaker type QP. 2- pole 20A Clamshell packaged	CS3	14	0 94925 01404 4
VPKQ230	Siemens® circuit breaker type QP. 2- pole 30A Clamshell packaged	CS3	14	0 94925 01405 1
VPKQ240	Siemens® circuit breaker type QP. 2- pole 40A Clamshell packaged	CS3	14	0 94925 01406 8
VPKQ250	Siemens® circuit breaker type QP. 2- pole 50A Clamshell packaged	CS3	14	0 94925 01407 5
VPKQ260	Siemens® circuit breaker type QP. 2- pole 60A Clamshell packaged	CS3	14	0 94925 01408 2
VPKQ2100	Siemens® circuit breaker type QP. 2-pole 100A Clamshell packaged	CS3	14	0 94925 01413 6



Catalog Number	Product Description	Clam Shell Type	Breaker Page#	UPC
Packaged Seimens - Type QT		For pricing and availability call us or log into your web account for the most up to date pricing. No web Account? Call Today!		
VPKQ1515	Siemens® duplex circuit breaker type QT. Class CTL Twin 15A/15A Clamshell packaged	CS1	13	0 94925 01409 9
VPKQ2020	Siemens® duplex circuit breaker type QT. Class CTL Twin 20A/20A Clamshell packaged	CS1	13	0 94925 01411 2
Packaged Seimens - Type QPF		For pricing and availability call us or log into your web account for the most up to date pricing. No web Account? Call Today!		
VPKQF115	Siemens® GFCI circuit breaker type QF. 1-pole, 15A Clamshell packaged	CS4	17	0 94925 01415 0
VPKQF120	Siemens® GFCI circuit breaker type QF. 1-pole, 20A Clamshell packaged	CS4	17	0 94925 01416 7
Packaged Interchangeable - Type QD		For pricing and availability call us or log into your web account for the most up to date pricing. No web Account? Call Today!		
VPKD115	Siemens circuit breaker type QD. Replacement for Square D® QO. 1-pole 15A Clamshell packaged.	CS1	17	0 94925 01920 9
VPKD120	Siemens circuit breaker type QD. Replacement for Square D® QO. 1-pole 20A Clamshell packaged.	CS1	17	0 94925 01921 6
VPKD130	Siemens circuit breaker type QD. Replacement for Square D® QO. 1-pole 30A Clamshell packaged.	CS1	17	0 94925 01922 3
VPKD220	Siemens circuit breaker type QD. Replacement for Square D® QO. 2-pole 20A Clamshell packaged.	CS2	17	0 94925 01924 7
VPKD230	Siemens circuit breaker type QD. Replacement for Square D® QO. 2-pole 30A Clamshell packaged.	CS2	17	0 94925 01925 4
VPKD240	Siemens circuit breaker type QD. Replacement for Square D® QO. 2-pole 40A Clamshell packaged.	CS2	17	0 94925 01926 1
VPKD250	Siemens circuit breaker type QD. Replacement for Square D® QO. 2-pole 50A Clamshell packaged.	CS2	17	0 94925 01927 8
VPKD260	Siemens circuit breaker type QD. Replacement for Square D® QO. 2-pole 60A Clamshell packaged.	CS2	17	0 94925 01928 5



Load Center Accessories

Replacement Parts for Popular Breaker Panels

Catalog Number	Price	UPC
VPKCS4		0 94925 02039 7
VPKGBK5		0 94925 02038 0
VPKNCFS		0 94925 02024 3
VPKQF3		0 94925 02033 5
All load panel accessories come in View-Pak clamshell packaging.		

VPKNCFS

Federal Pacific Electric® 1/2" NC Filler Plate



VPKCS4

Universal Replacement Panel Screws



VPKQF3

Siemens® 1" Filler Plate



VPKGBK5

Universal Replacement 5 Position Ground Bar Kit



CEI Power Adapters

Easily Adapts Cord Ends to Available Receptacle

20	CESMAD2030	0 94925 03240 6
20	CESMAD3020	0 94925 03241 3
20	CESMAD5020	0 94925 03295 6
30	CESMAD5030	0 94925 03296 3



CESMAD2030

RV plug adaptor 5-15R receptacle to TT-30 plug. Rated 20A



CESMAD3020

RV plug adaptor TT-30R receptacle to 5-15 plug. Rated 20A



CESMAD5020

RV plug adaptor 14-50R receptacle to 5-15 plug. Rated 20A



CESMAD5030

RV plug adaptor 14-50R receptacle to TT-30 plug. Rated 30A

Mini Breakers

Replacement Breakers for Edison Base Screw In Fuses

AMP Rating	Catalog Number	Price	UPC
15	VPKMB15		0 94925 03128 7
20	VPKMB20		0 94925 03129 4
GREAT VALUE! NEVER BUY FUSES AGAIN!			



VPKMB15

Mini-Breaker. Edison base resettable circuit protector. 125V, 15A Clamshell packaged.

VPKMB20

Mini-Breaker. Edison base resettable circuit protector. 125V, 15A Clamshell packaged.





CEI RV Power Outlets

NEMA 3R Recreational Vehicle Outlets Ideal for Home, Storage, or Park Use

Output Rating	Catalog Number	Price	UPC
120V 30A	CESMPS13HR		0 94925 03213 0
120/240V 50A	CESMPS54HR		0 94925 03239 0
120V 30A	CESMPSC13HR		0 94925 03211 6
120/240V 30A	CESMPSC41GRHR		0 94925 03212 3
120/240V 50A	CESMPSC55GRHR		0 94925 03216 1
120/240V 30/50A	CESMPSC75GRHR		0 94925 03225 3



CESMPS13HR
TT-30 travel trailer receptacle.



CESMPS54HR
NEMA 14-50 receptacle.



CESMPSC75GRHR
NEMA 5-20R2 GFCI, TT-30 travel trailer receptacle, NEMA 14-50. Breakers: 1P 20A, 1P 30A, 2P 50A.



CESMPSC55GRHR
NEMA 5-20R2 GFCI, NEMA 14-50. Breakers: 1P 20A, 2P 50A.



CESMPSC41GRHR
NEMA 5-20R2 GFCI, TT-30 travel trailer receptacle. Breakers: 1P 20A, 1P 30A.



CESMPSC13HR
TT-30 travel trailer receptacle. Breaker: 1P 30A.

Images are not to scale

New CESMPSC75GRHR Design Coming in 2014 Accepts Cords with Handles!





AQUA LANTERN

SOLAR LIGHTED BUOY

20" Solar Lighted Marker Buoy

Visible from 1.6 Km

AA Rechargeable Batteries Included

Orange



CEI Item #
AL20Org
UPC Code

0-94925-01422-8

Red



CEI Item #
AL20Red
UPC Code

0-94925-01423-5

Green



CEI Item #
AL20Grn
UPC Code

0-94925-01420-4

Yellow



CEI Item #
AL20Yel
UPC Code

0-9925-01426-6

White



CEI Item #
AL20Whit
UPC Code

0-94925-01425-9

20" Solar Lighted Mooring Buoy

Find Your Mooring Buoy Easily At Night

AA Rechargeable Batteries Included


Mooring



CEI Item #
AL20Mor
UPC Code

0-94925-01421-1

How To Use



Pick Up Buoy,
Anchor And
Anchor Line Are
Not Included

Accessories and Replacement Parts



Item
Spanner Wrench
Solar Unit Lid
D Ring Pad w/ 4 screws

CEI Item #
SPW20
SUL20-100
DRP20

UPC Code
0-94925-01429-7
0-94925-01428-0
0-94925-01427-3

All Aqua Lanterns include Batteries, D Ring Pad, Spanner Wrench, and Solar Lid

For More Information Visit
www.aqualantern.com

Connecticut Electric

Quality Electrical Products • Since 1906

800-730-2557 Toll Free • www.connecticut-electric.com

AQUA LANTERN

SOLAR LIGHTED BUOY

Call Today!



Protect your floating swim platform, floating trampoline, pier, dock, PWC, and swim areas



For More Information Visit

www.aqualantern.com



© 2014 Connecticut Electric Inc. The use of the trademarks of entities other than Connecticut Electric should not be construed as an endorsement or authorization of the respective manufacturers to sell the products advertised. The products advertised may be individually repackaged, not under license, by Connecticut Electric. Connecticut Electric is independent of and is not in any way connected, affiliated with, or sponsored by any of the other manufacturers of the products advertised herein.