



SACE Emax 2

Protezione pulsanti di apertura e chiusura a lucchetti PBC - E2.2 - E4.2 - E6.2
Push-button protection for opening and closing to padlocks PBC - E2.2 - E4.2 - E6.2
Tastenschutz zum Öffnen und Schließen zu Vorhängeschlösser PBC - E2.2 - E4.2 - E6.2
Protection boutons-poussoirs pour l'ouverture et la fermeture à cadenas PBC - E2.2 - E4.2 - E6.2
Protección pulsadores para la apertura y el cierre de candados PBC - E2.2 - E4.2 - E6.2

E2.2-E4.2-E6.2





A
Ø 4mm
(Ø 0.16")

B
Ø 8mm
(Ø 0.31")

C
Ø 7mm
(Ø 0.27")


D

E
x2


N° max lucchetti
Max number of padlocks
Höchstanzahl der Vorhängeschlösser
Nombre max cadenas
Número máx. candados

Diametro Diameter Durchmesser Diamètre Diámetro		
Ø 4mm (Ø 0.16")	3	
Ø 7mm (Ø 0.27")		1
Ø 8mm (Ø 0.31")	2	


1




2






3




4









ATTENZIONE! - Sequenza montaggio viti: F1 - G - F2 - F3
 WARNING! - Screws assembly sequence: F1 - G - F2 - F3
 ACHTUNG! - Schrauben montage folge: F1 - G - F2 - F3
 ATTENTION - Sequence de l'assemblage des vis: F1 - G - F2 - F3
 ATENCIÓN - Secuencia de la asamblea de tornillos: F1 - E - F2 - F3





For more information please contact:

ABB S.p.A.
Via Pescaria, 5
24123 Bergamo - Italy
Phone: +39 035 395 111