

PASS & SEYMOUR®

PORTABLE GFCIs

ADDED SAFETY

ON THE JOB

#LegrandImprovingLives

legrand®

HELPING CONTRACTORS, FACILITY MANAGERS AND HOMEOWNERS

KEEP IT SAFE

WITH CODE-COMPLIANT PORTABLE GFCI SOLUTIONS.

FROM THE FIRST-EVER GFCI RECEPTACLES TO OUR LATEST PORTABLE SOLUTIONS, WE KEEP YOU SAFE ON THE JOB – ANYTIME, ANYWHERE.

GFCI protection for any application.

In 1972, we introduced the very first GFCI receptacle. In the decades since, we've helped save lives, prevent injuries and protect spaces by continuing to innovate with our range of industry-leading GFCI solutions. This dedication to safety extends to our line of portable GFCIs. Preventing injury from electrical shock by interrupting power in the event of a ground fault, these rugged and portable devices are perfect for a variety of temporary power applications, including use with power tools, high-pressure power washers, wet vacuums and grounds-keeping equipment, spas and hot tubs, vending machines, portable signs and more. Find reliable GFCI protection for any application, and easy compliance with National Electrical Code(R) (NEC) and OSHA Requirements, with Legrand's portable GFCI solutions.

Portable GFCIs Features & Benefits:

- All models meet the latest requirements — UL GFCI standard, NEC® and OSHA 1926.404 standards.
- 1597 and 2097 portable GFCIs conduct an industry-leading automatic test every three seconds, ensuring they are always ready to protect.
- 1597 and 2097 models include a red indicator light which flashes red if the self-test fails to signal it should be replaced.
- 1597 and 2097 portable GFCIs include Safe-Lock protection. If critical components are damaged and ground fault protection is lost, power to the connected device is disconnected.
- Rugged polycarbonate housing stands up to impact and hard use.
- Water-resistant design; In-Line, Cord Set and Right Angle are rated for outdoor use.
- Watertight rubber cord grommets seal the GFCI from the environment (corded and in-line models).
- Automatic-reset models available for applications where continuous power is required (pumps, pressure washers, portable signs, lighting and engine heaters).
- Open neutral protection, standard on all models, automatically cuts off power to the hot conductor if there's a loss in continuity in the neutral conductor leading to the device.
- Choose from 15A and 20A models to meet virtually any portable GFCI application requirement.

1597CMM

1597PC2A

2097FFMBK

1597CS1M

CATALOG NO.	DESCRIPTION	RESET	RATINGS A.	RATINGS V.	NEMA CONFIG. NO.	CONFIGURATION PLUG	CONFIGURATION CONNECTION
RIGHT ANGLE PLUG — PORTABLE GFCI							
1597CMM	User-attachable	Manual	15	125	5-15P		N/A
1597CMA	User-attachable	Automatic	15	125	5-15P		
15 AMP IN-LINE — PORTABLE GFCI							
1597FFMBK	User-attachable	Manual	15	125	N/A	N/A	N/A
1597FTC2MBK	User-attachable with tri-cord connector	Manual	15	125	5-15R	N/A	
1597PC6M	6′ cord, straight blade	Manual	15	125	5-15P/R		
1597PC2M	2′ cord, straight blade	Manual	15	125	5-15P/R		
1597PC2A	2′ cord, straight blade	Automatic	15	125	5-15P/R		
1597TC2M	2′ cord with tri-cord connector	Manual	15	125	5-15P/R		
1597TC2A	2′ cord with tri-cord connector	Automatic	15	125	5-15P/R		
1597TL2M	2′ cord, Turnlok	Manual	15	125	L5-15P/R		
1597TL2A	2′ cord, Turnlok	Automatic	15	125	L5-15P/R		
20 AMP IN-LINE — PORTABLE GFCI							
2097FFMBK	User-attachable	Manual	20	125	N/A	N/A	N/A
2097PC2A	2′ cord, straight blade	Automatic	20	125	5-20P/R		
2097PC2M	2′ cord, straight blade	Manual	20	125	5-20P/R		
2097TL2A	2′ cord, Turnlok	Automatic	20	125	L5-20P/R		
2097TL2M	2′ cord, Turnlok	Manual	20	125	L5-20P/R		
CORD SET — PORTABLE GFCI							
1597CS1M	1′ cord with connector	Manual	15	125	5-15P/R		
1597CS1A	1′ cord with connector	Automatic	15	125	5-15P/R		

c UL US **All GFCIs are 3rd Party Compliant with UL943, UL498**

©2025 Legrand All Rights Reserved BR1760 06/25

Electrical Wiring Systems
60 Woodlawn Street
West Hartford, CT 06110
1.877.BY.LEGRAND (295.3472)
www.legrand.us

legrand®