

5045 3-Hole Corner Gusset Plate




Fig. Number	Std. Package	Wt. Each	
		lbs.	kg
5045	25	.70	(.32)

Available in stainless steel. To order, specify 304 or 316 and add suffix SS to fig. number. Price on request.

MATERIAL: 1/4 (6.35)

FINISH: Electro-galvanized

ORDERING: Specify figure number.

HOLE DIM: 9/16 (14.29) dia. • 13/16 (20.64) from end • 17/8 (47.63) on centers

5050 4-Hole Corner Gusset Plate




Fig. Number	Std. Package	Wt. Each	
		lbs.	kg
5050	25	1.02	(.46)

Available in stainless steel. To order, specify 304 or 316 and add suffix SS to fig. number. Price on request.

MATERIAL: 1/4 (6.35)

FINISH: Electro-galvanized

ORDERING: Specify figure number.

HOLE DIM: 9/16 (14.29) dia. • 13/16 (20.64) from end • 17/8 (47.63) on centers

5060 5-Hole Corner Gusset Plate




Fig. Number	Std. Package	Wt. Each	
		lbs.	kg
5060	25	1.45	(.66)

MATERIAL: 1/4 (6.35)

FINISH: Electro-galvanized

ORDERING: Specify figure number.

HOLE DIM: 9/16 (14.29) dia. • 13/16 (20.64) from end • 17/8 (47.63) on centers

Unless otherwise specified, all dimensions on drawings and in charts are in inches and dimensions shown in parentheses are in millimeters.



FLAT PLATE FITTINGS

5065 3-Hole Tee Gusset Plate




Fig. Number	Std. Package	Wt. Each	
		lbs.	kg
5065	25	.70	(.32)

Available in stainless steel. To order, specify 304 or 316 and add suffix SS to fig. number. Price on request.

MATERIAL: 1/4 (6.35)

FINISH: Electro-galvanized

ORDERING: Specify figure number.

HOLE DIM: 9/16 (14.29) dia. • 13/16 (20.64) from end • 17/8 (47.63) on centers

5075 4-Hole Tee Gusset Plate




Fig. Number	Std. Package	Wt. Each	
		lbs.	kg
5075	25	1.00	(.45)

Available in stainless steel. To order, specify 304 or 316 and add suffix SS to fig. number. Price on request.

MATERIAL: 1/4 (6.35)

FINISH: Electro-galvanized

ORDERING: Specify figure number.

HOLE DIM: 9/16 (14.29) dia. • 13/16 (20.64) from end • 17/8 (47.63) on centers

5080 5-Hole Tee Gusset Plate




Fig. Number	Std. Package	Wt. Each	
		lbs.	kg
5080	25	1.43	(.65)

MATERIAL: 1/4 (6.35)

FINISH: Electro-galvanized

ORDERING: Specify figure number.

HOLE DIM: 9/16 (14.29) dia. • 13/16 (20.64) from end • 17/8 (47.63) on centers

5085 6-Hole Tee Gusset Plate




Fig. Number	Std. Package	Wt. Each	
		lbs.	kg
5085	10	1.49	(.68)

Available in stainless steel. To order, specify 304 or 316 and add suffix SS to fig. number. Price on request.

MATERIAL: 1/4 (6.35)

FINISH: Electro-galvanized

ORDERING: Specify figure number.

HOLE DIM: 9/16 (14.29) dia. • 13/16 (20.64) from end • 17/8 (47.63) on centers

Unless otherwise specified, all dimensions on drawings and in charts are in inches and dimensions shown in parentheses are in millimeters.

FLAT PLATE FITTINGS



5090

6-Hole Cross Gusset Plate




Fig. Number	Std. Package	Wt. Each	
		lbs.	kg
5090	10	1.66	(.75)

Available in stainless steel. To order, specify 304 or 316 and add suffix SS to fig. number. Price on request.

MATERIAL: 1/4 (6.35)

FINISH: Electro-galvanized

ORDERING: Specify figure number.

HOLE DIM: 9/16 (14.29) dia. • 13/16 (20.64) from end • 17/8 (47.63) on centers

5095

7-Hole Cross Gusset Plate




Fig. Number	Std. Package	Wt. Each	
		lbs.	kg
5095	10	2.32	(1.05)

Available in stainless steel. To order, specify 304 or 316 and add suffix SS to fig. number. Price on request.

MATERIAL: 1/4 (6.35)

FINISH: Electro-galvanized

ORDERING: Specify figure number.

HOLE DIM: 9/16 (14.29) dia. • 13/16 (20.64) from end • 17/8 (47.63) on centers

Unless otherwise specified, all dimensions on drawings and in charts are in inches and dimensions shown in parentheses are in millimeters.