



TrueForce High Lumen PAR

23PAR30s/PER/930/S15/ND/120V 6/1FB

Philips LED TrueForce PAR high lumen lamps are the perfect transition from CDM lamps to LED.

Product data

General information	
Cap-Base	E26 [Single Contact Medium Screw]
EU RoHS compliant	Yes
Nominal Lifetime (Nom)	25000 h
Switching Cycle	50000
Technical Type	23-75W

Light technical	
Color Code	930 [CCT of 3000K]
Beam Angle (Nom)	15 °
Luminous Flux (Nom)	1900 lm
Luminous Intensity (Nom)	12000 cd
Color Designation	White (WH)
Correlated Color Temperature (Nom)	3000 K
Luminous Efficacy (rated) (Nom)	82.00 lm/W
Color Consistency	<4
Color Rendering Index (Nom)	90
LLMF At End Of Nominal Lifetime (Nom)	70 %

Operating and electrical	
Input Frequency	50 to 60 Hz
Power (Nom)	23 W

Lamp Current (Nom)	206 mA
Wattage Equivalent	75 W
Starting Time (Nom)	0.5 s
Warm Up Time to 60% Light (Nom)	0.5 s
Power Factor (Nom)	0.9
Voltage (Nom)	120 V

Temperature	
T-Case Maximum (Nom)	94 °C

Controls and dimming	
Dimmable	No

Mechanical and housing	
Bulb Finish	Clear
Bulb Material	Aluminum
Bulb Shape	PAR30S [PAR 3.75 inch/95mm Short]


Approval and application	
Suitable For Accent Lighting	Yes
Energy Consumption kWh/1000 h	- kWh

TrueForce High Lumen PAR

Product data	
Order product name	23PAR30s/PER/930/S15/ND/120V 6/1FB
EAN/UPC - Product	046677534684
Order code	929001917404
Numerator - Quantity Per Pack	1

Numerator - Packs per outer box	6
Material Nr. (12NC)	929001917404
Net Weight (Piece)	0.220 kg



Dimensional drawing



23PAR30s/PER/930/S15/ND/120V 6/1FB


Product	D	C
23PAR30s/PER/930/S15/ND/120V 6/1FB	96 mm	94 mm

Photometric data



LEDspot PAR30 1FB


LEDspot 23 PAR30L 930 S15




LEDspot 23 PAR30L 930 S15

TrueForce High Lumen PAR

Lifetime



LEDspot PAR30 1FB



LEDspot PAR30 1FB

