

Product data sheet

Specifications



Socket, SE Relays, 30A, 6 pins,
screw connectors, separate contact,
for 725 power relay

70-725-1

Product availability: Stock - Normally stocked in distribution facility

Main

Product Range	Harmony Electromechanical Relays
Product Type	Socket
Number of Terminals	6
Switch Function	DPST
Contact Composition	2 NO

Complementary

Rated Current	30 A
[Ue] rated operational voltage	300 V
Connections Terminals	screw terminal, clamping connection capacity:6 mm², 10 AWG solid screw terminal, clamping connection capacity:2 x 0.5...2 x 6 mm², 20 AWG...10 AWG stranded
Tightening Torque	Screw 1.2 N.m
Fixing Mode	Clip-on 35 mm symmetrical DIN rail
Product Weight	2.4 oz (67 g)
Depth	2.8 in (70.5 mm)

Environment

Flame Retardance	UL94-V0
------------------	---------

Ordering and shipping details

Category	US10CP221127
Discount Schedule	0CP2
GTIN	3606480277986
Returnability	Yes
Country of origin	CN

Packing Units

Unit Type of Package 1	PCE
Nbr. of units in pkg.	1
Package 1 Height	2.79 in (7.08 cm)
Package 1 Width	2.1 in (5.4 cm)
Package 1 Length	0.93 in (2.35 cm)

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Package weight(Lbs)	2.4 oz (67 g)
Unit Type of Package 2	BB1
Number of Units in Package 2	10
Package 2 Height	3.2 in (8.2 cm)
Package 2 Width	4.6 in (11.6 cm)
Package 2 Length	5.0 in (12.7 cm)
Package 2 Weight	25.7 oz (727.3 g)
Unit Type of Package 3	CAR
Number of Units in Package 3	200
Package 3 Height	114.2 in (290 cm)
Package 3 Width	94.5 in (240 cm)
Package 3 Length	169.3 in (430 cm)
Package 3 Weight	33.1675 lb(US) (15.0445 kg)

Contractual warranty

Warranty (in months)	18
----------------------	----



Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)



Environmental footprint

Environmental Disclosure

[Product Environmental Profile](#)

Use Better



Materials and Substances

Packaging made with recycled cardboard

Yes

Packaging without single use plastic

Yes

Use Longer



Lifetime extension

Repair

No

Use Again



Repack and remanufacture

Circularity Profile


No need of specific recycling operations

Take-back

No

Dimensions Drawings

Dimensions



Connections and Schema

Wiring Diagram




Image of product in real life situation

