

Product data sheet

Specifications



MOUNTING RAIL SCREW AM1 +OPTIONS

AF1VA410

Product availability: Non-Stock - Not normally stocked in distribution facility

Main

Accessory / separate part category	Mounting accessories
Quantity per Set	Set of 100
Star-delta starter component	Screw with captive washer

Complementary

Assembly style	For assembly
Head mounting	M4 x 10
ISO thread	M4
Motor power kW	110 kW 30 kW 63 kW 18.5 kW 37 kW 25 kW 11 kW 132 kW 4 kW 59 kW 147 kW 22 kW 75 kW 15 kW 5.5 kW 55 kW 7.5 kW
Motor starter type	Star-delta starters
Mounting Support	Asymmetrical DZ5-MB rail Combination AM1-ED rail Omega AM1-DP rail Omega AM1-DE rail
number of devices	2
Product mounting	Mounting plate Rail
Product Weight	0.004 lb(US) (0.002 kg)
shape of screw head	Slotted hexagonal
Star-delta mechanical interlock	Without
Threaded length	0.4 in (10 mm)
Provided Equipment	Washer

Ordering and shipping details

Category	US10I1122626
Discount Schedule	0I11

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

GTIN	3389110568523
Returnability	No
Country of origin	IT

Packing Units

Unit Type of Package 1	PCE
Nbr. of units in pkg.	1
Package 1 Height	0.197 in (0.500 cm)
Package 1 Width	0.197 in (0.500 cm)
Package 1 Length	0.591 in (1.500 cm)
Package weight(Lbs)	0.056 oz (1.600 g)
Unit Type of Package 2	BB1
Number of Units in Package 2	100
Package 2 Height	0.394 in (1.000 cm)
Package 2 Width	3.937 in (10.000 cm)
Package 2 Length	5.906 in (15.000 cm)
Package 2 Weight	6.208 oz (176.000 g)
Unit Type of Package 3	S02
Number of Units in Package 3	4500
Package 3 Height	5.906 in (15.000 cm)
Package 3 Width	11.811 in (30.000 cm)
Package 3 Length	15.748 in (40.000 cm)
Package 3 Weight	18.159 lb(US) (8.237 kg)

Contractual warranty

Warranty (in months)	18
----------------------	----



Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)

Use Better

Materials and Substances	
Packaging made with recycled cardboard	No
Packaging without single use plastic	No
EU RoHS Directive	Compliant
California proposition 65	WARNING: This product can expose you to chemicals including: Cadmium and cadmium compounds, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov

Use Longer

Lifetime extension	
Repair	No

Use Again

Repack and remanufacture	
Take-back	No