

Product data sheet

Specifications

FIXING SCREW



AF1VC820

Product availability: Stock - Normally stocked in distribution facility

Main

Accessory / separate part category	Mounting accessories
Quantity per Set	Set of 10
Star-delta starter component	1/4 turn sliding clip nuts and corresponding bolts

Complementary

Assembly style	For assembly
Fixing of mechanism	Screws
Head mounting	M8 x 20
ISO thread	M8
Motor power kW	100 kW 200 kW 185 kW 220 kW 315 kW 250 kW 160 kW 90 kW 280 kW 375 kW
Motor starter type	Star-delta starters
Mounting Support	Notched AM1-EC rail
number of devices	8
Product Compatibility	For uprights AM3-EC
Product Weight	0.053 lb(US) (0.024 kg) 0.051 lb(US) (0.023 kg)
shape of screw head	Hexagonal
Threaded length	0.8 in (20 mm)
Provided Equipment	Washer

Ordering and shipping details

Category	US10I1122626
Discount Schedule	0I11
GTIN	3389110543667
Returnability	Yes
Country of origin	BE

Packing Units

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Unit Type of Package 1	PCE
Nbr. of units in pkg.	1
Package 1 Height	0.315 in (0.800 cm)
Package 1 Width	0.472 in (1.200 cm)
Package 1 Length	0.787 in (2.000 cm)
Package weight(Lbs)	0.494 oz (14.000 g)
Unit Type of Package 2	BB1
Number of Units in Package 2	10
Package 2 Height	0.787 in (2.000 cm)
Package 2 Width	1.969 in (5.000 cm)
Package 2 Length	5.118 in (13.000 cm)
Package 2 Weight	5.009 oz (142.000 g)
Unit Type of Package 3	CAR
Number of Units in Package 3	680
Package 3 Height	5.906 in (15.000 cm)
Package 3 Width	11.811 in (30.000 cm)
Package 3 Length	15.748 in (40.000 cm)
Package 3 Weight	22.183 lb(US) (10.062 kg)

Contractual warranty

Warranty (in months)	18
----------------------	----



Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)

Use Better

Materials and Substances	
Packaging made with recycled cardboard	No
Packaging without single use plastic	No
EU RoHS Directive	Compliant
REACH Regulation	Free of Substances of Very High Concern above the threshold
California proposition 65	WARNING: This product can expose you to chemicals including: Cadmium and cadmium compounds, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov

Use Longer

Lifetime extension	
Repair	No

Use Again

Repack and remanufacture	
Take-back	No