

Product data sheet

Specifications



Incandescent bulb, Harmony XB4, BA15d, clear, steady light, 6W, 220...260V AC

DL1BA260

! Discontinued

! Discontinued on: Dec 31, 2025

! End-of-service on: Jul 1, 2026

Product availability: Non-Stock - Not normally stocked in distribution facility

Main

Accessory / separate part designation	Incandescent bulb
Accessory / Separate Part Type	Incandescent bulb
Accessory / separate part category	Lighting accessories
[Us] rated supply voltage	220...260 V AC
Signalling type	Steady
Power dissipation in W	6 W
Signalling colour	Clear
Diameter	0.7 in (18 mm)
Length	1.4 in (35 mm)
Sale per indivisible quantity	1

Complementary

Bulb base	BA 15d
-----------	--------

Ordering and shipping details

Category	US100XV22611
Discount Schedule	00XV
GTIN	3389110300185
Returnability	No

Packing Units

Unit Type of Package 1	PCE
Nbr. of units in pkg.	1
Package 1 Height	0.709 in (1.800 cm)
Package 1 Width	0.709 in (1.800 cm)
Package 1 Length	1.457 in (3.700 cm)
Package weight(Lbs)	0.176 oz (5.000 g)
Unit Type of Package 2	BB1
Number of Units in Package 2	10

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Package 2 Height	1.969 in (5.000 cm)
Package 2 Width	2.559 in (6.500 cm)
Package 2 Length	5.118 in (13.000 cm)
Package 2 Weight	2.610 oz (74.000 g)
Unit Type of Package 3	S02
Number of Units in Package 3	280
Package 3 Height	5.906 in (15.000 cm)
Package 3 Width	11.811 in (30.000 cm)
Package 3 Length	15.748 in (40.000 cm)
Package 3 Weight	5.298 lb(US) (2.403 kg)

Contractual warranty

Warranty (in months)	18
----------------------	----



Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)



Environmental footprint

Total lifecycle Carbon footprint	62 kg CO2 eq.
Carbon footprint of the manufacturing phase [A1 to A3]	0.1 kg CO2 eq.
Carbon footprint of the distribution phase [A4]	0 kg CO2 eq.
Carbon footprint of the installation phase [A5]	0 kg CO2 eq.
Carbon footprint of the use phase [B2, B3, B4, B6]	62 kg CO2 eq.
Carbon footprint of the end-of-life phase [C1 to C4]	0 kg CO2 eq.

Use Better



Materials and Substances

Packaging made with recycled cardboard	Yes
Packaging without single use plastic	Yes
EU RoHS Directive	Compliant
California proposition 65	WARNING: This product can expose you to chemicals including: Lead and lead compounds, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov

Use Longer



Lifetime extension

Repair	No
--------	----

Use Again



Repack and remanufacture

Take-back	No
WEEE Label	 The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins.