

Product data sheet

Specifications



Incandescent bulb, Harmony XB4, BA 9s, clear, 48V AC DC

DL1CE048

Product availability: Stock - Normally stocked in distribution facility

Main

Range Compatibility	Harmony XAC
Accessory / Separate Part Type	Incandescent bulb
Accessory / separate part category	Lighting accessory
Accessory / separate part destination	Illuminated push-button
[Us] rated supply voltage	48 V AC/DC
Signalling colour	Clear
Sale per indivisible quantity	10
Product or Component Type	Incandescent bulb

Complementary

Power dissipation in W	2.4 W
Bulb base	BA 9s
Diameter	0.4 in (11 mm)
Length	1.1 in (28 mm)

Ordering and shipping details

Category	US10CS222466
Discount Schedule	0CS2
GTIN	3389110300321
Returnability	No
Country of origin	CN

Packing Units

Unit Type of Package 1	PCE
Nbr. of units in pkg.	1
Package 1 Height	1.339 in (3.400 cm)
Package 1 Width	1.732 in (4.400 cm)
Package 1 Length	1.390 in (3.530 cm)
Package weight(Lbs)	0.106 oz (3.000 g)
Unit Type of Package 2	BB1
Number of Units in Package 2	10
Package 2 Height	1.339 in (3.400 cm)

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Package 2 Width	1.732 in (4.400 cm)
Package 2 Length	4.173 in (10.600 cm)
Package 2 Weight	1.058 oz (30.000 g)
Unit Type of Package 3	S02
Number of Units in Package 3	800
Package 3 Height	5.906 in (15.000 cm)
Package 3 Width	11.811 in (30.000 cm)
Package 3 Length	15.748 in (40.000 cm)
Package 3 Weight	6.199 lb(US) (2.812 kg)

Contractual warranty

Warranty (in months)	18
----------------------	----

Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)

 Environmental footprint	
Total lifecycle Carbon footprint	27 kg CO2 eq.
Carbon footprint of the manufacturing phase [A1 to A3]	0 kg CO2 eq.
Carbon footprint of the distribution phase [A4]	0 kg CO2 eq.
Carbon footprint of the installation phase [A5]	0 kg CO2 eq.
Carbon footprint of the use phase [B2, B3, B4, B6]	27 kg CO2 eq.
Carbon footprint of the end-of-life phase [C1 to C4]	0 kg CO2 eq.

Use Better

 Materials and Substances	
Packaging made with recycled cardboard	Yes
Packaging without single use plastic	Yes
EU RoHS Directive	Compliant
REACH Regulation	Free of Substances of Very High Concern above the threshold
California proposition 65	WARNING: This product can expose you to chemicals including: Lead and lead compounds, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov

Use Longer

 Lifetime extension	
Repair	No

Use Again

 Repack and remanufacture	
Take-back	No
WEEE Label	 The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins.

Offer Marketing Illustration

Product benefits / Features

Features

Harmony XB4



Quick and easy assembly and disassembly



Various types of connection: screw clamp, connector, Faston connector, spring terminal, or printed circuit board



Excellent mechanical connection with operator head



Large set of accessories to customize your panels



Robustness to withstand harsh environments



Offer Marketing Illustration

Product benefits / Features

