

Product data sheet

Specifications



Cable end, Linergy TR cable ends, single conductor, white, 16mm², long size, for clip-in, 10 sets of 100

DZ5CA163

Product availability: Stock - Normally stocked in distribution facility

Main

Range of Product	Linergy
Product or Component Type	Cable end
Cable end size	Long
Standards	NF C 63-023
Type of Packing	Bag
Quantity per Set	Set of 100
Cable cross section	0.02 in² (16 mm²)

Complementary

Cable end type	Single conductor
Additional information	For additional marker tag holder
Color	White
Bezel material	Halogen-free plastic
Tube material	Copper ISO 1337
Number of cables	1
AWG Gauge	6 AWG
Bezel size	Ø 9.6 mm
Tube diameter	0.2 in (6.2 mm)
Length	1.1 in (28 mm)
Tube length	0.7 in (18 mm)
CAD overall depth	1.1 in (28 mm)
Product Weight	0.2 lb(US) (0.1 kg)

Environment

Ambient Air Temperature for Operation	-4...221 °F (-20...105 °C)
---------------------------------------	----------------------------

Ordering and shipping details

Category	US1000I22621
Discount Schedule	000I
GTIN	3389110535693
Returnability	Yes
Country of origin	DE

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Packing Units

Unit Type of Package 1	PCE
Nbr. of units in pkg.	1
Package 1 Height	0.157 in (0.400 cm)
Package 1 Width	0.157 in (0.400 cm)
Package 1 Length	0.551 in (1.400 cm)
Package weight(Lbs)	0.028 oz (0.800 g)
Unit Type of Package 2	BB1
Number of Units in Package 2	100
Package 2 Height	1.575 in (4.000 cm)
Package 2 Width	3.543 in (9.000 cm)
Package 2 Length	4.331 in (11.000 cm)
Package 2 Weight	3.034 oz (86.000 g)
Unit Type of Package 3	S03
Number of Units in Package 3	6000
Package 3 Height	11.811 in (30.000 cm)
Package 3 Width	11.811 in (30.000 cm)
Package 3 Length	15.748 in (40.000 cm)
Package 3 Weight	12.599 lb(US) (5.715 kg)

Contractual warranty

Warranty (in months)	18
----------------------	----

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)

 Environmental footprint	
Environmental Disclosure	Product Environmental Profile

Use Better

 Materials and Substances	
Packaging made with recycled cardboard	Yes
Packaging without single use plastic	No, we have minimized the use of plastic in the packaging in compliance with regulations and considering quality and safety standards
EU RoHS Directive	Compliant
REACH Regulation	Free of Substances of Very High Concern above the threshold
Halogen content performance	Halogen free plastic parts product
PVC free	Yes
Silicon free	Yes

Use Longer

 Lifetime extension	
Repair	No

Use Again

 Repack and remanufacture	
Circularity Profile	End of Life Information
Take-back	No
WEEE Label	 The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins.

Image of product / Alternate images

Alternative

