

Product data sheet

Specifications



Cable ends, Linergy TR cable ends, single conductor, yellow, 6mm², for insulated cable, medium size, 10 sets of 100

DZ5CE062D

Product availability: Non-Stock - Not normally stocked in distribution facility

Main

Range of Product	Linergy
Product or Component Type	Cable end
Cable end size	Medium
Standards	DIN 46228-4
Type of Packing	Individual bag
Quantity per Set	Set of 100
Cable cross section	0.009 in² (6 mm²)

Complementary

Cable end type	Single conductor
Additional information	Without marker tag holder
Color	Yellow
Bezel material	Halogen-free plastic
Tube material	Copper ISO 1337
Number of cables	1
AWG Gauge	AWG 10
Bezel size	Ø 6.9 mm
Tube diameter	0.2 in (3.9 mm)
Length	0.8 in (20 mm)
Tube length	0.5 in (12 mm)
Product Weight	0.099 lb(US) (0.045 kg)

Environment

Product Certifications	UL
Ambient Air Temperature for Operation	-4...221 °F (-20...105 °C)

Ordering and shipping details

Category	US1000I22621
Discount Schedule	000I
GTIN	3389110211436
Returnability	No

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Country of origin	DE
-------------------	----

Packing Units

Unit Type of Package 1	PCE
Nbr. of units in pkg.	1
Package 1 Height	0.276 in (0.700 cm)
Package 1 Width	0.276 in (0.700 cm)
Package 1 Length	0.787 in (2.000 cm)
Package weight(Lbs)	0.011 oz (0.300 g)
Unit Type of Package 2	BB1
Number of Units in Package 2	100
Package 2 Height	0.787 in (2.000 cm)
Package 2 Width	4.134 in (10.500 cm)
Package 2 Length	4.724 in (12.000 cm)
Package 2 Weight	1.376 oz (39.000 g)
Unit Type of Package 3	S01
Number of Units in Package 3	4000
Package 3 Height	5.906 in (15.000 cm)
Package 3 Width	5.906 in (15.000 cm)
Package 3 Length	15.748 in (40.000 cm)
Package 3 Weight	3.851 lb(US) (1.747 kg)

Contractual warranty

Warranty (in months)	18
----------------------	----



Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)



Environmental footprint

Environmental Disclosure

[Product Environmental Profile](#)

Use Better



Materials and Substances

Packaging made with recycled cardboard	Yes
Packaging without single use plastic	No, we have minimized the use of plastic in the packaging in compliance with regulations and considering quality and safety standards
EU RoHS Directive	Compliant
REACH Regulation	Free of Substances of Very High Concern above the threshold
Halogen content performance	Halogen free plastic parts product
PVC free	Yes
Silicon free	Yes

Use Longer



Lifetime extension

Repair	No
--------	----

Use Again



Repack and remanufacture

Circularity Profile	End of Life Information
Take-back	No
WEEE Label	 The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins.