

# Product data sheet

Specifications



Direct rotary handle, TeSys GS,  
black handle, right side mounting, 2  
positions I-O, for GS 50 to 63A IEC

GS1AH01

**Product availability: Non-Stock - Not normally stocked in  
distribution facility**

## Main

|                           |                                             |
|---------------------------|---------------------------------------------|
| Range of Product          | TeSys                                       |
| Range                     | TeSys                                       |
| Device short name         | GS1AH                                       |
| Product or Component Type | Rotary handle                               |
| Range compatibility       | TeSys TeSys GS GS1 F<br>TeSys TeSys GS GS1G |
| Type of operating handle  | Direct right side                           |
| Handle colour             | Black                                       |

## Complementary

|                          |              |
|--------------------------|--------------|
| Handle positions         | O-I          |
| Rotary handle padlocking | With         |
| Switch rated current     | 50 A<br>63 A |
| Standards                | IEC          |

## Ordering and shipping details

|                   |               |
|-------------------|---------------|
| Category          | US10I1122640  |
| Discount Schedule | 0I11          |
| GTIN              | 3389110561111 |
| Returnability     | No            |
| Country of origin | FR            |

## Packing Units

|                              |                      |
|------------------------------|----------------------|
| Unit Type of Package 1       | PCE                  |
| Nbr. of units in pkg.        | 1                    |
| Package 1 Height             | 3.150 in (8.000 cm)  |
| Package 1 Width              | 0.984 in (2.500 cm)  |
| Package 1 Length             | 5.512 in (14.000 cm) |
| Package weight(Lbs)          | 1.834 oz (52.000 g)  |
| Unit Type of Package 2       | S01                  |
| Number of Units in Package 2 | 20                   |
| Package 2 Height             | 5.906 in (15.000 cm) |

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

|                  |                         |
|------------------|-------------------------|
| Package 2 Width  | 5.906 in (15.000 cm)    |
| Package 2 Length | 15.748 in (40.000 cm)   |
| Package 2 Weight | 2.791 lb(US) (1.266 kg) |

## Contractual warranty

|                      |    |
|----------------------|----|
| Warranty (in months) | 18 |
|----------------------|----|



## Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)

### Use Better

| Materials and Substances               |                                                                                                                                                                                                                                |
|----------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Packaging made with recycled cardboard | Yes                                                                                                                                                                                                                            |
| Packaging without single use plastic   | Yes                                                                                                                                                                                                                            |
| EU RoHS Directive                      | <a href="#">Compliant</a>                                                                                                                                                                                                      |
| REACH Regulation                       | <a href="#">Free of Substances of Very High Concern above the threshold</a>                                                                                                                                                    |
| California proposition 65              | WARNING: This product can expose you to chemicals including: Styrene, which is known to the State of California to cause cancer. For more information go to <a href="http://www.P65Warnings.ca.gov">www.P65Warnings.ca.gov</a> |

### Use Longer

| Lifetime extension |    |
|--------------------|----|
| Repair             | No |

### Use Again

| Repack and remanufacture |    |
|--------------------------|----|
| Take-back                | No |