Product data sheet

Specifications

License, EcoStruxure Operator Terminal Expert, professional, buildtime, entity, 100 stations, subscription, 12 months, digital

HMIEOTEBTP100SY

Product availability: Non-Stock - Not normally stocked in distribution facility

Main

Range of Product	EcoStruxure Operator Terminal Expert
Product or Component Type	License
Format	Digital
Type of License	Professional Node locked license
Variant	Buildtime
Software Version	V4.2
Operating system requirement	Windows 10 64 bit Windows 11 64 bit
System Requirements	8 GB RAM 30 GB hard-drive space .NET Framework 4.7.2 or later
User Language	English Italian Chinese Spanish French German Portuguese Korean

Complementary

License category	Subscription

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Price is “List Price” and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Communication port protocol	FTPS HTTP IPsec websocket Couzet Automation millenium 3 FBD Emerson Industrial Automation Modbus SIO master Emerson Industrial Automation Modbus TCP master Emerson Process Management ROC Plus Ethernet Emerson Process Management ROC SIO Mitsubishi A series Ethernet Mitsubishi FX series computer link Mitsubishi FX series CPU direct Mitsubishi FX series Ethernet Mitsubishi iQ-R/F series Ethernet SLMP client Mitsubishi Q series CPU direct Mitsubishi Q series QnU CPU Ethernet Mitsubishi Q/QnA series serial Modbus Organization Modbus SIO ASCII master Modbus Organization Modbus SIO master Modbus Organization Modbus SIO slave Modbus Organization Modbus TCP master Modbus Organization Modbus TCP slave Omron CS/CJ/CP series host link Omron CS/CJ/CP/NX series Ethernet Omron CS/CJ/NJ/NX series Ethernet/IP OPC UA Foundation OPC UA server Rockwell Automation DF1 Rockwell Automation DH485 Rockwell Automation EtherNet/IP Schneider Electric Machine expert network Schneider Electric Modbus SIO master Schneider Electric Modbus TCP master Schneider Electric Modbus TCP master via USB Schneider Electric PacDrive Schneider Electric Uni-Telway Schneider Electric Zelio Logic Siemens Simatic S7 Ethernet Siemens Simatic S7 MPI direct Siemens TIA portal Ethernet CAN in Automation (CiA) CANopen slave PROFIBUS International Profibus DP slave

Software Function	Alarms and events Barcode input Graphical display Blocky script Compound objects Color themes Convertors Data and operation logging Dockable windows interface environment Export with CSV and tab delimiter Expressions Gauges Icon libraries Image libaries Import export with CSV, tab and period delimiter Import with CSV and tab format IT communication Lamps Layouts Math functions Multi language development Multi language tables Object binding and properties OT communication Project transfer (Ethernet, filesystem, USB cable) Professional screen design Project and application settings Project libaries Recipes Screens (contents and folders) Security (levels, project, users) Simulation Symbols Tag import System keypad Switches Target binding and properties Text script Trend Variable (arrays, binding, properties, structures) Online and integrated help system OPC UA Server Web server API Web viewer remote viewing and control
Range Compatibility	Harmony GTU Harmony GTUX Harmony ST6 Harmony STM6 Harmony STO7 Harmony iPC
Hosting option	On-premise
License duration	12 month(s)
License size	Entity (100 station)
Processor requirement	Intel core i3 8th generation Intel core i5 8th generation
Display resolution	320 x 240 pixels HVGA minimum 3840 x 2160 pixels 4K UHD maximum

Ordering and shipping details

Category	US10MC222569
Discount Schedule	0MC2
GTIN	3606487021988
Returnability	No
Country of origin	US

Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

Environmental Data explained

How we assess product sustainability

Use Longer

Lifetime extension

Repair	**No**