

Product data sheet

Specifications



Thermal overload relays, TeSys Deca, remote electrical tripping, 220...230V DC/AC

LA7D03M

Product availability: Non-Stock - Not normally stocked in distribution facility

Main

Range	TeSys
Product or Component Type	Electrical remote tripping
Device short name	LA7D
Accessory / separate part category	Electrical accessory
Product Compatibility	LR2D LR3D35.. LRD15.. LRD33.. LR3D33.. LR3D43.. LRD43.. LR3D15..
[Uc] control circuit voltage	220/230 V AC 50/60 Hz 220/230 V DC

Complementary

Maximum inrush power in VA	100 VA
Inrush power in W	0...100 W
Product Weight	0.20 lb(US) (0.09 kg)

Ordering and shipping details

Category	US10I1222341
Discount Schedule	0I12
GTIN	3389110055139
Returnability	No
Country of origin	CZ

Packing Units

Unit Type of Package 1	PCE
Nbr. of units in pkg.	1
Package 1 Height	2.0 in (5.0 cm)
Package 1 Width	1.9 in (4.8 cm)
Package 1 Length	1.9 in (4.8 cm)
Package weight(Lbs)	3.7 oz (106.0 g)
Unit Type of Package 2	S01
Number of Units in Package 2	32

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Package 2 Height	5.9 in (15.0 cm)
Package 2 Width	5.9 in (15.0 cm)
Package 2 Length	15.7 in (40.0 cm)
Package 2 Weight	7.859 lb(US) (3.565 kg)

Contractual warranty

Warranty (in months)	18
----------------------	----



Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)

Use Better

Materials and Substances	
Packaging made with recycled cardboard	Yes
Packaging without single use plastic	Yes
EU RoHS Directive	Compliant
REACH Regulation	Free of Substances of Very High Concern above the threshold

Use Longer

Lifetime extension	
Repair	No

Use Again

Repack and remanufacture	
Take-back	No
WEEE Label	 The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins.