


# Product data sheet

Specifications



Mounting base, for TeSys Giga  
electronic overload relay  
LR9G115-225, independent  
mounting below contactor  
LC1G115-225

LA9G3650

Product availability: Stock - Normally stocked in distribution facility

## Main

|                                    |                                                 |
|------------------------------------|-------------------------------------------------|
| Range                              | TeSys                                           |
| Device short name                  | LA9G                                            |
| Product or Component Type          | Mounting base                                   |
| Accessory / separate part category | Installation accessories                        |
| Range compatibility                | TeSys G LC1G contactor                          |
| Product Compatibility              | LC1G115...225<br>LC1G205...245<br>LR9G115...225 |
| Quantity per Set                   | Set of 1                                        |

## Complementary

|                                |                              |
|--------------------------------|------------------------------|
| [Ie] rated operational current | 225 A                        |
| IP degree of protection        | IP20 conforming to IEC 60529 |
| Height                         | 0.4 in (10 mm)               |
| Width                          | 3.7 in (95 mm)               |
| Depth                          | 4.3 in (110 mm)              |
| thickness                      | 0.1 in (3 mm)                |
| Product Weight                 | 0.7 lb(US) (0.3 kg)          |

## Environment

|                                       |                                                                     |
|---------------------------------------|---------------------------------------------------------------------|
| Operating altitude                    | 9842.52 ft (3000 m) without derating<br>5000 m with derating factor |
| Standards                             | EN/IEC 60947-4-1<br>UL 60947-4-1<br>CSA C22.2 No 60947-4-1          |
| Pollution degree                      | 3 IEC 60947-1                                                       |
| Ambient air temperature for operation | -40...140 °F (-40...60 °C)                                          |
| Ambient Air Temperature for Storage   | -76...176 °F (-60...80 °C)                                          |

## Ordering and shipping details

|                   |              |
|-------------------|--------------|
| Category          | US10I1222328 |
| Discount Schedule | 0I12         |

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

|                   |               |
|-------------------|---------------|
| GTIN              | 3606481916556 |
| Returnability     | Yes           |
| Country of origin | CN            |

Packing Units

|                              |                         |
|------------------------------|-------------------------|
| Unit Type of Package 1       | PCE                     |
| Nbr. of units in pkg.        | 1                       |
| Package 1 Height             | 1.378 in (3.500 cm)     |
| Package 1 Width              | 5.118 in (13.000 cm)    |
| Package 1 Length             | 5.118 in (13.000 cm)    |
| Package weight(Lbs)          | 7.090 oz (201.000 g)    |
| Unit Type of Package 2       | S02                     |
| Number of Units in Package 2 | 20                      |
| Package 2 Height             | 5.906 in (15.000 cm)    |
| Package 2 Width              | 11.811 in (30.000 cm)   |
| Package 2 Length             | 15.748 in (40.000 cm)   |
| Package 2 Weight             | 9.678 lb(US) (4.390 kg) |

Contractual warranty

|                      |    |
|----------------------|----|
| Warranty (in months) | 18 |
|----------------------|----|

Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)

|  Environmental footprint |                                               |
|-----------------------------------------------------------------------------------------------------------|-----------------------------------------------|
| Environmental Disclosure                                                                                  | <a href="#">Product Environmental Profile</a> |

Use Better

|  Materials and Substances |                                                                                                                                                                                                                                                                                                                                                              |
|------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Packaging made with recycled cardboard                                                                     | Yes                                                                                                                                                                                                                                                                                                                                                          |
| Packaging without single use plastic                                                                       | No                                                                                                                                                                                                                                                                                                                                                           |
| SCIP Number                                                                                                | 958748fb-37b2-4e37-985e-0763521c22ab                                                                                                                                                                                                                                                                                                                         |
| EU RoHS Directive                                                                                          | <a href="#">Compliant By Exemption</a>                                                                                                                                                                                                                                                                                                                       |
| REACH Regulation                                                                                           | <a href="#">Reference contains Substances of Very High Concern above the threshold</a>                                                                                                                                                                                                                                                                       |
| California proposition 65                                                                                  | WARNING: This product can expose you to chemicals including: Nickel (Metallic), which is known to the State of California to cause cancer, and Bisphenol A (BPA), which is known to the State of California to cause birth defects or other reproductive harm. For more information go to <a href="http://www.P65Warnings.ca.gov">www.P65Warnings.ca.gov</a> |
| Halogen content performance                                                                                | Halogen free plastic parts product                                                                                                                                                                                                                                                                                                                           |
| PVC free                                                                                                   | Yes                                                                                                                                                                                                                                                                                                                                                          |

Use Longer

|  Lifetime extension |    |
|--------------------------------------------------------------------------------------------------------|----|
| Repair                                                                                                 | No |

Use Again

|  Repack and remanufacture |                                                                                                                                                                                                                  |
|--------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Circularity Profile                                                                                          | <a href="#">End of Life Information</a>                                                                                                                                                                          |
| Take-back                                                                                                    | No                                                                                                                                                                                                               |
| WEEE Label                                                                                                   |  The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins. |