Product data sheet

Specifications



Retrofit Base, for TeSys Giga contactor LC1G265-500

LA9GRFB2

Product availability: Stock - Normally stocked in distribution facility

Main

Range	TeSys
Range of Product	TeSys G
Device short name	LA9G
Product or Component Type	Plate
Product Compatibility	LC1G265...500 LC1G300...475
Device Application	Retrofit installation

Complementary

Height	9.4 in (240 mm)
Width	9.2 in (233 mm)
Depth	2.3 in (58 mm)
Product Weight	2.80 lb(US) (1.27 kg)
Quantity per Set	Set of 1

Environment

Ambient Air Temperature for Operation	-13…140 °F (-25…60 °C)
Ambient Air Temperature for Storage	-76…176 °F (-60…80 °C)
Operating altitude	9842.52 ft (3000 m) without derating 5000 m with derating factor
Pollution degree	3 IEC 60947-1

Ordering and shipping details

Category	US10I1222328
Discount Schedule	0I12
GTIN	3606481016003
Returnability	Yes
Country of origin	CN

Packing Units

Unit Type of Package 1	PCE
Nbr. of units in pkg.	1
Package 1 Height	2.362 in (6.000 cm)

Price is “List Price” and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Package 1 Width	9.252 in (23.500 cm)
Package 1 Length	9.449 in (24.000 cm)
Package weight(Lbs)	3.082 lb(US) (1.398 kg)
Unit Type of Package 2	S02
Number of Units in Package 2	3
Package 2 Height	5.906 in (15.000 cm)
Package 2 Width	11.811 in (30.000 cm)
Package 2 Length	15.748 in (40.000 cm)
Package 2 Weight	10.141 lb(US) (4.600 kg)

Contractual warranty

Warranty (in months)	18

Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

Environmental Data explained

How we assess product sustainability

Environmental footprint

Environmental Disclosure	Product Environmental Profile

Use Better

Materials and Substances

Packaging made with recycled cardboard	Yes
Packaging without single use plastic	No
SCIP Number	6fbdad13-bb7c-47d4-a6d6-d82dd6f54349
EU RoHS Directive	Compliant By Exemption
REACh Regulation	Reference contains Substances of Very High Concern above the threshold
California proposition 65	WARNING: This product can expose you to chemicals including: Styrene, which is known to the State of California to cause cancer, and Bisphenol A (BPA), which is known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov
Halogen content performance	Halogen free plastic parts product
PVC free	No

Use Longer

Lifetime extension

Repair	No

Use Again

Repack and remanufacture

Circularity Profile	End of Life Information
Take-back	No
WEEE Label	The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins.

Technical Illustration

Assembly's dimensions