

Product data sheet

Specifications



Mounting plate, Linergy BZ, 63A, 3P, 54 x 260mm,1 way, for TeSys Deca GV3, Grey

LA9ZA32625

Product availability: Non-Stock - Not normally stocked in distribution facility

Main

Range	Linergy
Product name	BZ
Device short name	LA9Z
Product or Component Type	Mounting plate
Number of ways	1 way
Quantity per Set	Set of 4

Complementary

Range compatibility	PrismaSeT G PrismaSeT P PrismaSeT PH PrismaSeT Pack TeSys D TeSys GV3 PanelSeT
Product Compatibility	LC1D40...65 GV3P
Poles description	3P
Permissible current	63 A
[UI] rated insulation voltage	690 V
Cable cross section	0.02 in² (10 mm²) - 8 AWG
Busbar pitch	2.4 in (60 mm)
Width	2.1 in (54 mm)
Height	10.2 in (260 mm)
Depth	2.5 in (63 mm)
color	Gray

Environment

IP degree of protection	IP20 IEC 60529
-------------------------	----------------

Ordering and shipping details

Category	US10I1222341
Discount Schedule	0I12
GTIN	3606480100017
Returnability	No
Country of origin	DE

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Packing Units

Unit Type of Package 1	PCE
Nbr. of units in pkg.	1
Package 1 Height	5.118 in (13.000 cm)
Package 1 Width	7.480 in (19.000 cm)
Package 1 Length	11.614 in (29.500 cm)
Package weight(Lbs)	12.310 oz (349.000 g)
Unit Type of Package 2	BB1
Number of Units in Package 2	4
Package 2 Height	5.118 in (13.000 cm)
Package 2 Width	7.480 in (19.000 cm)
Package 2 Length	11.614 in (29.500 cm)
Package 2 Weight	3.417 lb(US) (1.550 kg)
Unit Type of Package 3	S04
Number of Units in Package 3	24
Package 3 Height	11.811 in (30.000 cm)
Package 3 Width	15.748 in (40.000 cm)
Package 3 Length	23.622 in (60.000 cm)
Package 3 Weight	22.315 lb(US) (10.122 kg)

Contractual warranty

Warranty (in months)	18
----------------------	----



Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)

Use Better

Materials and Substances	
Packaging made with recycled cardboard	Yes
Packaging without single use plastic	Yes
EU RoHS Directive	Compliant By Exemption
REACH Regulation	Reference contains Substances of Very High Concern above the threshold
Halogen content performance	Halogen free plastic parts product
PVC free	Yes
Silicon free	Yes

Use Longer

Lifetime extension	
Repair	No

Use Again

Repack and remanufacture	
Take-back	No
WEEE Label	The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins.