

Product data sheet

Specifications



Adaptors for busbar systems, Linergy BZ, Connectors Plate 3P, 120mm2, IEC/UI For 60 Interaxis Busbar

LA9ZX01243

Product availability: Stock - Normally stocked in distribution facility

Main

Device short name	LA9Z
Product or Component Type	Connection kit
Quantity per Set	Set of 1

Complementary

Poles description	3P
Provided equipment	Mounting plate Cover
[Ie] rated operational current	440 A
[Ui] rated insulation voltage	690 V
Mounting Mode	Rail
Cable cross section	0.05...0.2 in² (35...120 mm²)
Busbar pitch	2.4 in (60 mm)
Width	2.8 in (70 mm)
Height	7.9 in (200 mm)
Depth	3.1 in (80 mm)
color	Gray

Environment

IP degree of protection	IP20
-------------------------	------

Ordering and shipping details

Category	US1CTR121253
Discount Schedule	CTR1
GTIN	3606480100079
Returnability	No
Country of origin	DE

Packing Units

Unit Type of Package 1	PCE
Nbr. of units in pkg.	1
Package 1 Height	5.236 in (13.300 cm)

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Package 1 Width	4.409 in (11.200 cm)
Package 1 Length	8.071 in (20.500 cm)
Package weight(Lbs)	18.836 oz (534.000 g)
Unit Type of Package 2	S03
Number of Units in Package 2	6
Package 2 Height	11.811 in (30.000 cm)
Package 2 Width	11.811 in (30.000 cm)
Package 2 Length	15.748 in (40.000 cm)
Package 2 Weight	8.333 lb(US) (3.780 kg)
Unit Type of Package 3	P06
Number of Units in Package 3	48
Package 3 Height	29.528 in (75.000 cm)
Package 3 Width	23.622 in (60.000 cm)
Package 3 Length	31.496 in (80.000 cm)
Package 3 Weight	85.972 lb(US) (38.996 kg)

Contractual warranty

Warranty (in months)	18
----------------------	----



Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)

Use Better

Materials and Substances	
Packaging made with recycled cardboard	Yes
Packaging without single use plastic	Yes
EU RoHS Directive	Compliant By Exemption
REACH Regulation	Reference contains Substances of Very High Concern above the threshold
Halogen content performance	Halogen free plastic parts product
PVC free	Yes
Silicon free	Yes

Use Longer

Lifetime extension	
Repair	No

Use Again

Repack and remanufacture	
Take-back	No