

Product data sheet

Specifications



Terminal block, Linergy BZ, 270A,
1P, 4 to 35 mm2 for 5mm Busbar,
Set of 50

LA9ZX01285

Product availability: Non-Stock - Not normally stocked in
distribution facility

Main

Device short name	LA9Z
Product or Component Type	Terminal block
Quantity per Set	Set of 50

Complementary

[Ie] rated operational current	270 A
[Ui] rated insulation voltage	690 V
Mounting Mode	Rail
Cable cross section	0.006...0.05 in² (4...35 mm²)
color	Gray

Ordering and shipping details

Category	US1CTR121253
Discount Schedule	CTR1
GTIN	3606480100048
Returnability	No
Country of origin	DE

Packing Units

Unit Type of Package 1	PCE
Nbr. of units in pkg.	1
Package 1 Height	0.630 in (1.600 cm)
Package 1 Width	1.102 in (2.800 cm)
Package 1 Length	1.772 in (4.500 cm)
Package weight(Lbs)	1.552 oz (44.000 g)
Unit Type of Package 2	BB1
Number of Units in Package 2	50
Package 2 Height	3.858 in (9.800 cm)
Package 2 Width	4.488 in (11.400 cm)
Package 2 Length	8.189 in (20.800 cm)
Package 2 Weight	5.146 lb(US) (2.334 kg)

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Contractual warranty

Warranty (in months)	18
----------------------	----



Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)

Use Better

Materials and Substances	
Packaging made with recycled cardboard	Yes
Packaging without single use plastic	Yes
EU RoHS Directive	Compliant By Exemption
REACH Regulation	Reference contains Substances of Very High Concern above the threshold
Halogen content performance	Halogen free plastic parts product
PVC free	Yes
Silicon free	Yes

Use Longer

Lifetime extension	
Repair	No

Use Again

Repack and remanufacture	
Take-back	No