


# Product data sheet

Specifications



## Terminal block, Linergy BZ, 400A, 1P, 16 to 70 mm2 for 5mm Busbar, Set of 25

LA9ZX01287

**Product availability: Non-Stock - Not normally stocked in distribution facility**

### Main

|                           |                |
|---------------------------|----------------|
| Device short name         | LA9Z           |
| Product or Component Type | Terminal block |
| Quantity per Set          | Set of 25      |

### Complementary

|                                |                              |
|--------------------------------|------------------------------|
| [Ie] rated operational current | 400 A                        |
| [Ui] rated insulation voltage  | 690 V                        |
| Mounting Mode                  | Rail                         |
| Cable cross section            | 0.02...0.1 in² (16...70 mm²) |
| color                          | Gray                         |

### Ordering and shipping details

|                   |               |
|-------------------|---------------|
| Category          | US10I1222341  |
| Discount Schedule | 0I12          |
| GTIN              | 3606480100055 |
| Returnability     | No            |
| Country of origin | DE            |

### Packing Units

|                              |                         |
|------------------------------|-------------------------|
| Unit Type of Package 1       | PCE                     |
| Nbr. of units in pkg.        | 1                       |
| Package 1 Height             | 2.953 in (7.500 cm)     |
| Package 1 Width              | 4.921 in (12.500 cm)    |
| Package 1 Length             | 5.512 in (14.000 cm)    |
| Package weight(Lbs)          | 2.469 oz (70.000 g)     |
| Unit Type of Package 2       | BB1                     |
| Number of Units in Package 2 | 25                      |
| Package 2 Height             | 2.953 in (7.500 cm)     |
| Package 2 Width              | 4.921 in (12.500 cm)    |
| Package 2 Length             | 5.512 in (14.000 cm)    |
| Package 2 Weight             | 3.957 lb(US) (1.795 kg) |
| Unit Type of Package 3       | S03                     |

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

|                              |                           |
|------------------------------|---------------------------|
| Number of Units in Package 3 | 150                       |
| Package 3 Height             | 11.811 in (30.000 cm)     |
| Package 3 Width              | 11.811 in (30.000 cm)     |
| Package 3 Length             | 15.748 in (40.000 cm)     |
| Package 3 Weight             | 24.074 lb(US) (10.920 kg) |

## Contractual warranty

|                      |    |
|----------------------|----|
| Warranty (in months) | 18 |
|----------------------|----|



## Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)

### Use Better

| Materials and Substances               |                                                                                        |
|----------------------------------------|----------------------------------------------------------------------------------------|
| Packaging made with recycled cardboard | Yes                                                                                    |
| Packaging without single use plastic   | Yes                                                                                    |
| EU RoHS Directive                      | <a href="#">Compliant By Exemption</a>                                                 |
| REACH Regulation                       | <a href="#">Reference contains Substances of Very High Concern above the threshold</a> |
| Halogen content performance            | Halogen free plastic parts product                                                     |
| PVC free                               | Yes                                                                                    |
| Silicon free                           | Yes                                                                                    |

### Use Longer

| Lifetime extension |    |
|--------------------|----|
| Repair             | No |

### Use Again

| Repack and remanufacture |    |
|--------------------------|----|
| Take-back                | No |