

Product data sheet

Specifications



Kit for assembling 4P changeover contactors, LC1DT20-DT40 with screw clamp terminals, with electrical interlock

LADT9R1V

Product availability: Stock - Normally stocked in distribution facility

Main

Range of Product	TeSys Deca
Range	TeSys Linergy
Device short name	LAD9
Product or Component Type	Kits for changeover contactor
Poles description	4P
Range compatibility	TeSys TeSys D contactor TeSys TeSys Deca
Product Compatibility	LC1DT20 LC1DT25 LC1DT32 LC1DT40

Complementary

Kit composition	Electrical and mechanical interlock Set of power connection
Product Weight	0.099 lb(US) (0.045 kg)

Ordering and shipping details

Category	US1CTR121253
Discount Schedule	CTR1
GTIN	3389110272222
Returnability	Yes
Country of origin	CZ

Packing Units

Unit Type of Package 1	PCE
Nbr. of units in pkg.	1
Package 1 Height	1.181 in (3.000 cm)
Package 1 Width	2.362 in (6.000 cm)
Package 1 Length	3.543 in (9.000 cm)
Package weight(Lbs)	1.869 oz (53.000 g)
Unit Type of Package 2	S02
Number of Units in Package 2	40

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Package 2 Height	5.906 in (15.000 cm)
Package 2 Width	11.811 in (30.000 cm)
Package 2 Length	15.748 in (40.000 cm)
Package 2 Weight	5.355 lb(US) (2.429 kg)

Contractual warranty

Warranty (in months)	18
----------------------	----



Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)

Use Better

Materials and Substances	
Packaging made with recycled cardboard	Yes
Packaging without single use plastic	Yes
EU RoHS Directive	Compliant
REACH Regulation	Free of Substances of Very High Concern above the threshold

Use Longer

Lifetime extension	
Repair	No

Use Again

Repack and remanufacture	
Take-back	No
WEEE Label	 The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins.