

Product End of Life Instructions


Easy Tesys High-voltage 300A DC Epoxy Contactor

EasyTesys contactor





End of Life Instructions



Recommendation	Number on drawing	Component / Material	Weight (in g)	Comment
To be depolluted	1	Electronic Board (Communication) > 10cm ²	5.42	PCBA

Product description

Manufacturer identification	Schneider Electric Industries SAS
Brand name	Schneider Electric
Product function	The main purpose of the product is to switch on and off electrical power supply of a downstream installation with an electrical and/or mechanical control.
Product reference	LC1E300DCH1S260
Additional similar product references	LC1E100ADCH1S260 LC1E100BDCH1S260 LC1E150ADCH1S260 LC1E150ADCH2S260 LC1E150BDCH1S260 LC1E150BDCH2S260 LC1E200ADCH1S260 LC1E200ADCH2S260 LC1E200BDCH1S260 LC1E200BDCH2S260 LC1E250ADCH1S260 LC1E250ADCH2S260 LC1E250BDCH1S260 LC1E250BDCH2S260 LC1E300ADCH1S260 LC1E300ADCH2S260 LC1E300BDCH1S260 LC1E300BDCH2S260 LC1E50ADCH1S260 LC1E50BDCH1S260 LC1E150DCH2S260 LC1E150DCH1S260 LC1E200DCH2S260 LC1E200DCH1S260 LC1E250DCH2S260 LC1E250DCH1S260 LC1E300DCH2S260 LC1E300DCH1S260 LC1E150ADCH2S260L LC1E150BDCH2S260L LC1E150ADCH1S260L LC1E150BDCH1S260L
Total representative product mass	380 g
Representative product dimensions	80.4 mm x 56.7 mm x 66.2 mm
Accessories	No
Date of information release	08-2024

Additional information

Legal information	This product family is in the scope of European Union directive 2012/19/EU on Waste Electrical and Electronic Equipment (WEEE). The product family must be disposed according to the legislation of the country. This document is intended for use by end of life recyclers or treatment facilities. It provides the basic information to assure an appropriate end of life treatment for the components and materials of the product.	
In case of special transportation: transportation method	No	
Recyclability potential	80%	Recyclability rate has been calculated based on REEECY'LAB tool developed by Ecosystem, for components/materials not covered by the tool, data from the “ECO’ DEEE recyclability and recoverability calculation method” was taken. If no data was found a conservative assumption was used (0% recyclability).

Schneider Electric Industries SAS
Country Customer Care Center
<http://www.se.com/contact>
35, rue Joseph Monier
CS 30323
F- 92500 Rueil Malmaison Cedex
RCS Nanterre 954 503 439
Capital social 928 298 512 €

www.se.com

ENVEOLI2404002_V2

Published by Schneider Electric

© 2023 - Schneider Electric – All rights reserved

08-2024