

Product data sheet

Specifications



Fuse disconnecter, TeSys DF , 3P,
600V, 25A, fuse size 10x38mm,
spring type

LS1D323

⚠ Discontinued on: Jul 1, 2025

⚠ Discontinued

Main

Range	TeSys
Product name	TeSys LS1
Product or component type	Fuse-disconnector
Device short name	LS1D
Poles description	3P

Complementary

Mounting support	Rail
Mounting position	Vertical (tolerance: +/- 23°)
Control type	Toggle
[Ue] rated operational voltage	600 V
[Ie] rated operational current	25 A for power circuit
Local signalling	Blown fuse indication
Fuse size	10 x 38 mm
Fuse type	GG AM
Associated fuse rating	30 A aM 30 A gG
Connections - terminals	Spring terminals 2 cable(s) 1...6 mm²solid Spring terminals 2 cable(s) 1...6 mm²flexible without cable end Spring terminals 2 cable(s) 1...4 mm²flexible with cable end

Environment

Standards	IEC 60947-2 IEC 60947-4-1 IEC 60947-1
Product certifications	UR BV
IP degree of protection	IP20
Protective treatment	TH
Ambient air temperature for operation	-50...70 °C operation
Height	89 mm
Width	45 mm
Depth	68.3 mm

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Net weight	0.27 kg
------------	---------

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	5.500 cm
Package 1 Width	7.600 cm
Package 1 Length	11.400 cm
Package 1 Weight	221.000 g
Unit Type of Package 2	S03
Number of Units in Package 2	50
Package 2 Height	30.000 cm
Package 2 Width	30.000 cm
Package 2 Length	40.000 cm
Package 2 Weight	11.585 kg

Contractual warranty

Warranty	18 months
----------	-----------

Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)

Use Better

 Materials and Substances	
Packaging made with recycled cardboard	No
Packaging without single use plastic	No
EU RoHS Directive	Compliant

Use Again

 Repack and remanufacture	
Take-back	No
WEEE Label	 The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins