

Product data sheet

Specifications



Chassis position contact,
MasterPact MTZ1/MTZ2/MTZ3
drawout, CE/CD/CT position,
standard, 6A/240VAC, spare part

LV833170SP

Product availability: Stock - Normally stocked in distribution facility

Main

Range	MasterPact
Device short name	CE/CD/CT
Product or Component Type	Auxiliary contact
Device Application	Control
Range compatibility	Masterpact MasterPact MTZ1 circuit breaker Masterpact MasterPact MTZ2 circuit breaker Masterpact MasterPact MTZ3 circuit breaker
Signal contacts composition	1 NO/NC
Mounting Mode	Drawout

Complementary

Auxiliary contacts type	Standard
Auxiliary contacts operation	Test position Disconnected position Connected position
[Ie] rated operational current	AC-12 6 A 690 V AC 50/60 Hz AC-12 8 A 240 V AC 50/60 Hz AC-12 8 A 380 V AC 50/60 Hz AC-12 8 A 480 V AC 50/60 Hz DC-12 0.3 A 250 V DC DC-12 0.8 A 125 V DC DC-12 2.5 A 24/48 V DC
Minimum load	100 mA 24 V
Provided equipment	1 instruction sheet
Offer type	Spare part

Ordering and shipping details

Category	US1DE2F01257
Discount Schedule	DE2F
GTIN	3606481186256
Returnability	Yes
Country of origin	US

Packing Units

Unit Type of Package 1	PCE
Nbr. of units in pkg.	1

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Package 1 Height	1.378 in (3.500 cm)
Package 1 Width	1.654 in (4.200 cm)
Package 1 Length	1.654 in (4.200 cm)
Package weight(Lbs)	1.199 oz (34.000 g)
Unit Type of Package 2	S04
Number of Units in Package 2	80
Package 2 Height	11.811 in (30.000 cm)
Package 2 Width	15.748 in (40.000 cm)
Package 2 Length	23.622 in (60.000 cm)
Package 2 Weight	7.540 lb(US) (3.420 kg)

Contractual warranty

Warranty (in months)	18
----------------------	----



Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)

Use Better

Materials and Substances	
Packaging made with recycled cardboard	Yes
Packaging without single use plastic	Yes
EU RoHS Directive	Compliant
REACH Regulation	Free of Substances of Very High Concern above the threshold
California proposition 65	WARNING: This product can expose you to chemicals including: DINP, which is known to the State of California to cause cancer, and DIDP, which is known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov
Halogen content performance	Product contains halogen above thresholds

Use Longer

Lifetime extension	
Repair	No

Use Again

Repack and remanufacture	
Take-back	No
WEEE Label	The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins.