


Product data sheet

Specifications



2 side panels stainless 304L, Scotch Brite® finish, for SFX
H2000xD400mm

NSY2SPX204

Product availability: Non-Stock - Not normally stocked in distribution facility

Main

Range	PanelSeT
Accessory / separate part category	Enclosure accessory
Product or Component Type	Side panel
Application	Multi-purpose
For enclosure nominal dimensions	-
Mounting Location	Sides of enclosure
Quantity per Set	Set of 1

Complementary

Range compatibility	PanelSeT SFX
Device composition	fixing elements 2 side panel 1 sealing gasket
Material	Panels stainless steel 304L Sealing gasket polyurethane
Product Weight	68.3 lb(US) (31 kg)
Surface Finish	Scotch-Brite® brushed
Fixing mode	By screws - from the outside of enclosure
Height	Nominal: 78.7 in (2000 mm)
Width	Nominal: 15.7 in (400 mm)

Ordering and shipping details

Category	US10ES180035
Discount Schedule	0ES1
GTIN	3606480154782
Returnability	No
Country of origin	BG

Packing Units

Unit Type of Package 1	PCE
Nbr. of units in pkg.	1
Package 1 Height	2.165 in (5.500 cm)
Package 1 Width	17.126 in (43.500 cm)

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Package 1 Length	79.921 in (203.000 cm)
Package weight(Lbs)	50.706 lb(US) (23.000 kg)
Unit Type of Package 2	PAL
Number of Units in Package 2	16
Package 2 Height	31.496 in (80.000 cm)
Package 2 Width	47.244 in (120.000 cm)
Package 2 Length	79.921 in (203.000 cm)
Package 2 Weight	877.441 lb(US) (398.000 kg)

Contractual warranty

Warranty (in months)	18
----------------------	----



Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)



Environmental footprint

Total lifecycle Carbon footprint	164 kg CO2 eq.
Carbon footprint of the manufacturing phase [A1 to A3]	100 kg CO2 eq.
Carbon footprint of the distribution phase [A4]	4 kg CO2 eq.
Carbon footprint of the installation phase [A5]	5 kg CO2 eq.
Carbon footprint of the use phase [B2, B3, B4, B6]	0 kg CO2 eq.
Carbon footprint of the end-of-life phase [C1 to C4]	54 kg CO2 eq.
Environmental Disclosure	Product Environmental Profile

Use Better



Materials and Substances

Packaging made with recycled cardboard	No
Packaging without single use plastic	No
SCIP Number	52da316e-d4e1-4114-85c0-32a03b2934fd
EU RoHS Directive	Compliant By Exemption
REACH Regulation	Reference contains Substances of Very High Concern above the threshold

Use Longer



Lifetime extension

Repair	No
--------	----

Use Again



Repack and remanufacture

Recyclability potential, in %	98
Circularity Profile	No need of specific recycling operations
Take-back	No