

# Product data sheet

Specifications



Kit for heavy load. Kit composed with 2 brackets. Maximum load 400 kg

NSYAEFPFS3DW60

Product availability: Non-Stock - Not normally stocked in distribution facility

## Main

|                                    |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
|------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Range                              | PanelSeT                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
| Accessory / separate part category | Fixing accessory                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
| Product or Component Type          | Wall fixing support                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
| Device Application                 | Multi-purpose                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
| Enclosure nominal dimensions       | - H: 15.7 in (400 mm) W: 23.6 in (600 mm) D: 7.9 in (200 mm)<br>- H: 15.7 in (400 mm) W: 23.6 in (600 mm) D: 9.8 in (250 mm)<br>- H: 23.6 in (600 mm) W: 23.6 in (600 mm) D: 7.9 in (200 mm)<br>- H: 23.6 in (600 mm) W: 23.6 in (600 mm) D: 9.8 in (250 mm)<br>- H: 23.6 in (600 mm) W: 23.6 in (600 mm) D: 11.8 in (300 mm)<br>- H: 23.6 in (600 mm) W: 23.6 in (600 mm) D: 15.7 in (400 mm)<br>- H: 31.5 in (800 mm) W: 23.6 in (600 mm) D: 7.9 in (200 mm)<br>- H: 31.5 in (800 mm) W: 23.6 in (600 mm) D: 9.8 in (250 mm)<br>- H: 31.5 in (800 mm) W: 23.6 in (600 mm) D: 11.8 in (300 mm)<br>- H: 31.5 in (800 mm) W: 23.6 in (600 mm) D: 15.7 in (400 mm)<br>- H: 39.4 in (1000 mm) W: 23.6 in (600 mm) D: 9.8 in (250 mm)<br>- H: 39.4 in (1000 mm) W: 23.6 in (600 mm) D: 11.8 in (300 mm)<br>- H: 39.4 in (1000 mm) W: 23.6 in (600 mm) D: 15.7 in (400 mm)<br>- H: 47.2 in (1200 mm) W: 23.6 in (600 mm) D: 11.8 in (300 mm)<br>- H: 47.2 in (1200 mm) W: 23.6 in (600 mm) D: 15.7 in (400 mm) |
| Mounting Location                  | Top and bottom, on rear of the enclosure                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
| Range compatibility                | PanelSeT                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
| Device composition                 | fixing screws<br>2 lug<br>2 pre-mounted sealing gasket                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
| Quantity per Set                   | Set of 1                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |

## Complementary

|                            |                                             |
|----------------------------|---------------------------------------------|
| Material                   | zinc coated steel                           |
| Fixing mode                | Screwed M8 - inside                         |
| Permanent permissible load | 771.6 lb(US) (350 kg)                       |
| Height                     | Fixing centers: 1.9 in (47 mm)              |
| Width                      | 23.6 in (600 mm)                            |
| Depth                      | Wall-enclosure separation : 0.3 in (7.5 mm) |
| Product Weight             | 4.418 lb(US) (2.004 kg)                     |

## Ordering and shipping details

|                   |               |
|-------------------|---------------|
| Category          | US10ES180036  |
| Discount Schedule | 0ES1          |
| GTIN              | 3606480323027 |
| Returnability     | No            |

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

|                   |    |
|-------------------|----|
| Country of origin | FR |
|-------------------|----|

## Packing Units

|                              |                           |
|------------------------------|---------------------------|
| Unit Type of Package 1       | PCE                       |
| Nbr. of units in pkg.        | 1                         |
| Package 1 Height             | 0.787 in (2.000 cm)       |
| Package 1 Width              | 3.150 in (8.000 cm)       |
| Package 1 Length             | 23.622 in (60.000 cm)     |
| Package weight(Lbs)          | 4.237 lb(US) (1.922 kg)   |
| Unit Type of Package 2       | PAL                       |
| Number of Units in Package 2 | 20                        |
| Package 2 Height             | 11.417 in (29.000 cm)     |
| Package 2 Width              | 14.764 in (37.500 cm)     |
| Package 2 Length             | 47.244 in (120.000 cm)    |
| Package 2 Weight             | 84.746 lb(US) (38.440 kg) |

## Contractual warranty

|                      |    |
|----------------------|----|
| Warranty (in months) | 18 |
|----------------------|----|



## Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)



### Environmental footprint

Environmental Disclosure

[Product Environmental Profile](#)

## Use Better



### Materials and Substances

Packaging made with recycled cardboard

No

Packaging without single use plastic

No

EU RoHS Directive

[Compliant](#)

REACH Regulation

[Free of Substances of Very High Concern above the threshold](#)

## Use Longer



### Lifetime extension

Repair

No

## Use Again



### Repack and remanufacture

Circularity Profile

No need of specific recycling operations

Take-back

No

Image of product / Alternate images

Alternative

---

