

Product data sheet

Specifications



Mounting plate in galvanized steel,
thickness 1.5 mm For boxes of
H275W225 mm

NSYAMP2924TB

Product availability: Non-Stock - Not normally stocked in
distribution facility

Main

Range	PanelSeT
Accessory / separate part category	Mounting accessory
Product or Component Type	Mounting plate
Device Application	Multi-purpose
Enclosure nominal dimensions	-
Mounting Location	Back studs
Mounting plate description	Plain
Range compatibility	PanelSeT TBS PanelSeT PanelSeT TBP
Device composition	1 mounting plate
Material	galvanised steel

Complementary

Fixing mode	By screws M4 self tapping - on back studs
Height	Nominal: 11.5 in (291 mm) Real: 8.5 in (215 mm)
Width	Nominal: 9.5 in (241 mm) Real: 10.4 in (265 mm)
thickness	0.06 in (1.5 mm)
Product Weight	0.57 lb(US) (0.26 kg)

Ordering and shipping details

Category	US10ES180036
Discount Schedule	0ES1
GTIN	3606480166105
Returnability	No
Country of origin	FR

Packing Units

Unit Type of Package 1	PCE
Nbr. of units in pkg.	1
Package 1 Height	10.433 in (26.500 cm)
Package 1 Width	8.465 in (21.500 cm)

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Package 1 Length	0.079 in (0.200 cm)
Package weight(Lbs)	22.575 oz (640.000 g)
Unit Type of Package 2	CAR
Number of Units in Package 2	10
Package 2 Height	1.575 in (4.000 cm)
Package 2 Width	9.252 in (23.500 cm)
Package 2 Length	11.024 in (28.000 cm)
Package 2 Weight	14.140 lb(US) (6.414 kg)
Unit Type of Package 3	PAM
Number of Units in Package 3	480
Package 3 Height	13.386 in (34.000 cm)
Package 3 Width	39.370 in (100.000 cm)
Package 3 Length	47.244 in (120.000 cm)
Package 3 Weight	776.028 lb(US) (352.000 kg)

Contractual warranty

Warranty (in months)	18
----------------------	----



Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)



Environmental footprint

Total lifecycle Carbon footprint	7 kg CO2 eq.
Carbon footprint of the manufacturing phase [A1 to A3]	3 kg CO2 eq.
Carbon footprint of the distribution phase [A4]	1 kg CO2 eq.
Carbon footprint of the installation phase [A5]	0 kg CO2 eq.
Carbon footprint of the use phase [B2, B3, B4, B6]	0 kg CO2 eq.
Carbon footprint of the end-of-life phase [C1 to C4]	2 kg CO2 eq.
Environmental Disclosure	Product Environmental Profile

Use Better



Materials and Substances

Packaging made with recycled cardboard	No
Packaging without single use plastic	No
EU RoHS Directive	Compliant
REACH Regulation	Free of Substances of Very High Concern above the threshold
PVC free	Yes
Silicon free	Yes

Use Longer



Lifetime extension

Repair	No
--------	----

Use Again



Repack and remanufacture

Recyclability potential, in %	98
Circularity Profile	No need of specific recycling operations
Take-back	No