


Product data sheet

Specifications

19" fixed shelf 1U on 2 uprights D250 with permissive load 15Kg



NSYBF1U25P

Product availability: Stock - Normally stocked in distribution facility

Overview

Presentation	Power Management
--------------	------------------

Main

Range of Product	Actassi
Product or Component Type	Fixed shelf
Accessory / Separate Part Type	Fixed perforated shelf
Device Application	Multi-purpose Electronic application
color	Gray RAL 7035)

Complementary

Range Compatibility	Actassi VDA Actassi VDS
Material	sheet steel
Surface Finish	Epoxy-polyester powder
Mounting support	19" rack, front or rear
Product Compatibility	PanelSeT SF-S PanelSeT SF-E PanelSeT VDM PanelSeT PLA
Fixing mode	By 19" fixing element 19" uprights of rack
Number of rack unit	1U
Permanent permissible load	33.07 lb(US) (15 kg)
thickness	0.2 in (5 mm)
Number of units 19"	1
Height	1.75 in (44.45 mm)
Width	18.3 in (465 mm)
Depth	9.8 in (250 mm)

Ordering and shipping details

Category	US10ES180036
Discount Schedule	0ES1
GTIN	3606480172748
Returnability	Yes
Country of origin	FR

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Packing Units

Unit Type of Package 1	PCE
Nbr. of units in pkg.	1
Package 1 Height	3.937 in (10.000 cm)
Package 1 Width	10.039 in (25.500 cm)
Package 1 Length	19.882 in (50.500 cm)
Package weight(Lbs)	3.726 lb(US) (1.690 kg)
Unit Type of Package 2	PAM
Number of Units in Package 2	42
Package 2 Height	28.740 in (73.000 cm)
Package 2 Width	39.370 in (100.000 cm)
Package 2 Length	47.244 in (120.000 cm)
Package 2 Weight	187.393 lb(US) (85.000 kg)

Contractual warranty

Warranty (in months)	18
----------------------	----

Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)

Environmental footprint	
Environmental Disclosure	Product Environmental Profile

Use Better

Materials and Substances	
Packaging made with recycled cardboard	No
Packaging without single use plastic	No
SCIP Number	67feaae3-1a02-4290-bfbd-a29ec2a78217
EU RoHS Directive	Compliant By Exemption
REACH Regulation	Reference contains Substances of Very High Concern above the threshold
California proposition 65	WARNING: This product can expose you to chemicals including: Lead, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov
PVC free	No
Silicon free	Yes

Use Longer

Lifetime extension	
Repair	No

Use Again

Repack and remanufacture	
Circularity Profile	No need of specific recycling operations
Take-back	No