

Product data sheet

Specifications



Painted steel cover cut-out 125x125mm with filter IP55

NSYCAP125LZF

Product availability: Stock - Normally stocked in distribution facility

Main

Range	ClimaSys
Product name	ClimaSys CA
Product or Component Type	Sealing cover
Accessory / separate part category	Thermal management accessory

Complementary

Mounting Location	On enclosure
Fixing Mode	By screws
Range compatibility	ClimaSys ClimaSys CV EMC fan
Device composition	1 cover 1 filter
Material	Painted steel
color	Gray RAL 7035)
Cut-out dimensions	125 x 125 mm
Height	External: 9.4 in (240 mm)
Width	External: 7.09 in (180 mm)
Depth	External : 2.4 in (60 mm)

Environment

Certification	CSA
IP Degree of Protection	IP55

Ordering and shipping details

Category	US10ES180036
Discount Schedule	0ES1
GTIN	3606480151941
Returnability	No
Country of origin	BE

Packing Units

Unit Type of Package 1	PCE
Nbr. of units in pkg.	1
Package 1 Height	4.331 in (11.000 cm)

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Package 1 Width	7.874 in (20.000 cm)
Package 1 Length	11.024 in (28.000 cm)
Package weight(Lbs)	3.197 lb(US) (1.450 kg)
Unit Type of Package 2	P12
Number of Units in Package 2	160
Package 2 Height	49.213 in (125.000 cm)
Package 2 Width	31.496 in (80.000 cm)
Package 2 Length	47.244 in (120.000 cm)
Package 2 Weight	555.565 lb(US) (252.000 kg)

Contractual warranty

Warranty (in months)	18
----------------------	----



Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)



Environmental footprint

Total lifecycle Carbon footprint	14 kg CO2 eq.
Carbon footprint of the manufacturing phase [A1 to A3]	8 kg CO2 eq.
Carbon footprint of the distribution phase [A4]	3 kg CO2 eq.
Carbon footprint of the installation phase [A5]	0.4 kg CO2 eq.
Carbon footprint of the use phase [B2, B3, B4, B6]	0 kg CO2 eq.
Carbon footprint of the end-of-life phase [C1 to C4]	3 kg CO2 eq.
Environmental Disclosure	Product Environmental Profile

Use Better



Materials and Substances

Packaging made with recycled cardboard	No
Packaging without single use plastic	No
SCIP Number	00b416c5-7a83-4214-beb5-d6f5760debc4
EU RoHS Directive	Compliant By Exemption
REACH Regulation	Reference contains Substances of Very High Concern above the threshold
California proposition 65	WARNING: This product can expose you to chemicals including: Lead, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov
PVC free	Yes
Silicon free	Yes

Use Longer



Lifetime extension

Repair	No
--------	----

Use Again



Repack and remanufacture

Recyclability potential, in %	8
Circularity Profile	No need of specific recycling operations
Take-back	No

Image of product / Alternate images

Alternative

