


Product data sheet

Specifications

Stainless steel cover cut-out 125x125mm with filter IP55



NSYCAP223LXF

Product availability: Non-Stock - Not normally stocked in distribution facility

Main

Range	ClimaSys
Product name	ClimaSys CA
Product or Component Type	Sealing cover
Accessory / separate part category	Thermal management accessory

Complementary

Mounting Location	On enclosure
Fixing Mode	By screws
Range compatibility	ClimaSys ClimaSys CV EMC fan
Device composition	1 cover 1 filter
Material	Stainless steel 304
Cut-out dimensions	223 x 223 mm
Height	External: 13.8 in (350 mm)
Width	External: 12.008 in (305 mm)
Depth	External : 3.1 in (80 mm)

Environment

Certification	CSA
IP Degree of Protection	IP55

Ordering and shipping details

Category	US10ES180036
Discount Schedule	0ES1
GTIN	3606480151989
Returnability	No
Country of origin	ES

Packing Units

Unit Type of Package 1	PCE
Nbr. of units in pkg.	1
Package 1 Height	14.567 in (37.000 cm)
Package 1 Width	13.189 in (33.500 cm)

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Package 1 Length	6.102 in (15.500 cm)
Package weight(Lbs)	6.746 lb(US) (3.060 kg)
Unit Type of Package 2	P12
Number of Units in Package 2	42
Package 2 Height	47.244 in (120.000 cm)
Package 2 Width	31.496 in (80.000 cm)
Package 2 Length	47.244 in (120.000 cm)
Package 2 Weight	316.408 lb(US) (143.520 kg)

Contractual warranty

Warranty (in months)	18
----------------------	----



Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)



Environmental footprint

Total lifecycle Carbon footprint	30 kg CO2 eq.
Carbon footprint of the manufacturing phase [A1 to A3]	17 kg CO2 eq.
Carbon footprint of the distribution phase [A4]	6 kg CO2 eq.
Carbon footprint of the installation phase [A5]	0.9 kg CO2 eq.
Carbon footprint of the use phase [B2, B3, B4, B6]	0 kg CO2 eq.
Carbon footprint of the end-of-life phase [C1 to C4]	6 kg CO2 eq.
Environmental Disclosure	Product Environmental Profile

Use Better



Materials and Substances

Packaging made with recycled cardboard	No
Packaging without single use plastic	No
EU RoHS Directive	Compliant
REACH Regulation	Free of Substances of Very High Concern above the threshold

Use Longer



Lifetime extension

Repair	No
--------	----

Use Again



Repack and remanufacture

Recyclability potential, in %	8
Circularity Profile	No need of specific recycling operations
Take-back	No

Image of product / Alternate images

Alternative

