Product data sheet

Specifications

Painted steel cover cut-out 223x223mm with filter IP55

NSYCAP223LZF

Product availability: Non-Stock - Not normally stocked in distribution facility

Main

Range	ClimaSys
Product name	ClimaSys CA
Product or Component Type	Sealing cover
Accessory / separate part category	Thermal management accessory

Complementary

Mounting Location	On enclosure
Fixing Mode	By screws
Range compatibility	ClimaSys ClimaSys CV EMC fan
Device composition	1 cover 1 filter
Material	Painted steel
color	Gray RAL 7035)
Cut-out dimensions	223 x 223 mm
Height	External: 13.8 in (350 mm)
Width	External: 12.008 in (305 mm)
Depth	External : 3.1 in (80 mm)

Environment

Certification	CSA
IP Degree of Protection	IP55

Ordering and shipping details

Category	US10ES180036
Discount Schedule	0ES1
GTIN	3606480151958
Returnability	No
Country of origin	BE

Packing Units

Unit Type of Package 1	PCE
Nbr. of units in pkg.	1
Package 1 Height	14.764 in (37.500 cm)

Price is “List Price” and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Package 1 Width	12.992 in (33.000 cm)
Package 1 Length	6.102 in (15.500 cm)
Package weight(Lbs)	7.099 lb(US) (3.220 kg)
Unit Type of Package 2	PAM
Number of Units in Package 2	72
Package 2 Height	52.756 in (134.000 cm)
Package 2 Width	39.370 in (100.000 cm)
Package 2 Length	47.244 in (120.000 cm)
Package 2 Weight	536.826 lb(US) (243.500 kg)

Contractual warranty

Warranty (in months)	18

Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

Environmental Data explained

How we assess product sustainability

Environmental footprint

Total lifecycle Carbon footprint	**31 kg CO2 eq.**
Carbon footprint of the manufacturing phase [A1 to A3]	**18 kg CO2 eq.**
Carbon footprint of the distribution phase [A4]	**6 kg CO2 eq.**
Carbon footprint of the installation phase [A5]	**0.9 kg CO2 eq.**
Carbon footprint of the use phase [B2, B3, B4, B6]	**0 kg CO2 eq.**
Carbon footprint of the end-of-life phase [C1 to C4]	**6 kg CO2 eq.**
Environmental Disclosure	**Product Environmental Profile**

Use Better

Materials and Substances

Packaging made with recycled cardboard	**No**
Packaging without single use plastic	**No**
SCIP Number	**00b416c5-7a83-4214-beb5-d6f5760debc4**
EU RoHS Directive	**Compliant By Exemption**
REACh Regulation	**Reference contains Substances of Very High Concern above the threshold**
California proposition 65	**WARNING: This product can expose you to chemicals including: Lead, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov**
PVC free	**Yes**
Silicon free	**Yes**

Use Longer

Lifetime extension

Repair	**No**

Use Again

Repack and remanufacture

Recyclability potential, in %	**8**
Circularity Profile	**No need of specific recycling operations**
Take-back	**No**

Image of product / Alternate images

Alternative