

Product data sheet

Specifications



Lower cable guide crossrail,
PanelSeT SFN, PanelSeT SF,
PanelSeT SM, for electrical
enclosure W1000mm

NSYCFP100

**Product availability: Non-Stock - Not normally stocked in
distribution facility**

Main

Range	PanelSeT
Category	Cabling accessory
Product or Component Type	Cable guide
Application	Multi-purpose
Nominal dimensions of the housing	-

Complementary

Mounting Location	On structure of enclosure
Range compatibility	PanelSeT PanelSeT SF PanelSeT PanelSeT SM PanelSeT PanelSeT SFX PanelSeT PanelSeT SMX
Device composition	fixing elements 1 rail
Quantity per Set	Set of 1
Material	galvanised steel
Adjustment	Adjustable in depth every 25 mm
fixing center	950 mm
Width	Nominal: 39.4 in (1000 mm)

Ordering and shipping details

Category	US10ES180036
Discount Schedule	0ES1
GTIN	3606480063251
Returnability	No
Country of origin	FR

Packing Units

Unit Type of Package 1	PCE
Nbr. of units in pkg.	1
Package 1 Height	50.000 in (127.000 cm)
Package 1 Width	3.150 in (8.000 cm)
Package 1 Length	2.953 in (7.500 cm)

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Package weight(Lbs)	5.172 lb(US) (2.346 kg)
Unit Type of Package 2	PAL
Number of Units in Package 2	30
Package 2 Height	16.929 in (43.000 cm)
Package 2 Width	39.370 in (100.000 cm)
Package 2 Length	51.181 in (130.000 cm)
Package 2 Weight	335.103 lb(US) (152.000 kg)

Contractual warranty

Warranty (in months)	18
----------------------	----



Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)



Environmental footprint

Total lifecycle Carbon footprint	17 kg CO2 eq.
Carbon footprint of the manufacturing phase [A1 to A3]	10 kg CO2 eq.
Carbon footprint of the distribution phase [A4]	0.5 kg CO2 eq.
Carbon footprint of the installation phase [A5]	0.5 kg CO2 eq.
Carbon footprint of the use phase [B2, B3, B4, B6]	0 kg CO2 eq.
Carbon footprint of the end-of-life phase [C1 to C4]	6 kg CO2 eq.
Environmental Disclosure	Product Environmental Profile

Use Better



Materials and Substances

Packaging made with recycled cardboard	No
Packaging without single use plastic	No
EU RoHS Directive	Compliant
REACH Regulation	Free of Substances of Very High Concern above the threshold

Use Longer



Lifetime extension

Repair	No
--------	----

Use Again



Repack and remanufacture

Recyclability potential, in %	98
Circularity Profile	No need of specific recycling operations
Take-back	No