

Product data sheet

Specifications



Cable guide crossrails for
framework, PanelSeT SFN, SF, SM,
for electrical enclosure W800mm ,
set of 2

NSYCFS128

**Product availability: Non-Stock - Not normally stocked in
distribution facility**

Main

Range	PanelSeT
Category	Cabling accessory
Product or Component Type	Support
Application	Multi-purpose
Nominal dimensions of the housing	- W: 31.5 in (800 mm)

Complementary

Mounting Location	On structure of enclosure
Range compatibility	PanelSeT PanelSeT SF PanelSeT PanelSeT SM PanelSeT PanelSeT SFX PanelSeT PanelSeT SMX
Device composition	fixing elements 2 rail
Quantity per Set	Set of 1
Material	steel
Surface Finish	Galvanized
Support angle	120 °
Adjustment	Adjustable in every 25 mm
fixing center	750 mm
Height	0.8 in (20 mm)
Width	Nominal: 31.5 in (800 mm)

Ordering and shipping details

Category	US10ES180036
Discount Schedule	0ES1
GTIN	3606480063299
Returnability	No
Country of origin	FR

Packing Units

Unit Type of Package 1	PCE
Nbr. of units in pkg.	1

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Package 1 Height	0.787 in (2.000 cm)
Package 1 Width	33.858 in (86.000 cm)
Package 1 Length	3.937 in (10.000 cm)
Package weight(Lbs)	34.074 oz (966.000 g)
Unit Type of Package 2	PAL
Number of Units in Package 2	49
Package 2 Height	11.417 in (29.000 cm)
Package 2 Width	14.764 in (37.500 cm)
Package 2 Length	47.244 in (120.000 cm)
Package 2 Weight	104.354 lb(US) (47.334 kg)

Contractual warranty

Warranty (in months)	18
----------------------	----



Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)



Environmental footprint

Total lifecycle Carbon footprint	7 kg CO2 eq.
Carbon footprint of the manufacturing phase [A1 to A3]	4 kg CO2 eq.
Carbon footprint of the distribution phase [A4]	0.2 kg CO2 eq.
Carbon footprint of the installation phase [A5]	0.2 kg CO2 eq.
Carbon footprint of the use phase [B2, B3, B4, B6]	0 kg CO2 eq.
Carbon footprint of the end-of-life phase [C1 to C4]	2 kg CO2 eq.
Environmental Disclosure	Product Environmental Profile

Use Better



Materials and Substances

Packaging made with recycled cardboard	No
Packaging without single use plastic	No
SCIP Number	E893f0a0-d2cc-4011-9425-3873dde70142
EU RoHS Directive	Compliant

Use Longer



Lifetime extension

Repair	No
--------	----

Use Again



Repack and remanufacture

Recyclability potential, in %	98
Circularity Profile	No need of specific recycling operations
Take-back	No