

# Product data sheet

Specifications



Control keyboard enclosure for enclosures PanelSeT S3CM width W 600 mm.

NSYCMT2560110

Product availability: Non-Stock - Not normally stocked in distribution facility

## Main

|                                    |                                                                                |
|------------------------------------|--------------------------------------------------------------------------------|
| Range                              | PanelSeT                                                                       |
| Accessory / separate part category | Interface accessory                                                            |
| Product or Component Type          | Box keyboard                                                                   |
| Anwendung                          | Multi-purpose                                                                  |
| Nennmaße des Gehäuses              | -                                                                              |
| Mounting Location                  | Control enclosure                                                              |
| Range compatibility                | PanelSeT PanelSeT S3CM                                                         |
| Device composition                 | fixing elements<br>1 box<br>2 bracket<br>1 trim rail<br>1 hose for cable entry |
| Quantity per Set                   | Set of 1                                                                       |

## Complementary

|                 |                                                                 |
|-----------------|-----------------------------------------------------------------|
| Material        | Body steel<br>Front face and trim frame aluminium               |
| color           | Body Gray RAL 7035)<br>Front face and trim frame Gray RAL 7040) |
| Surface Finish  | Epoxy-polyester powder                                          |
| Fixing mode     | By fixing element - on control enclosure                        |
| Operating angle | 120 °                                                           |
| Height          | External: 9.8 in (250 mm)<br>Real: 11.3 in (286 mm)             |
| Width           | External: 23.6 in (600 mm)<br>Real: 27.4 in (697 mm)            |
| Depth           | External : 4.3 in (110 mm)<br>Real : 4.9 in (125 mm)            |

## Environment

|                         |                          |
|-------------------------|--------------------------|
| IP degree of protection | IP54                     |
| IK degree of protection | IK10                     |
| Product Weight          | 18.911 lb(US) (8.578 kg) |

## Ordering and shipping details

|          |              |
|----------|--------------|
| Category | US10ES180036 |
|----------|--------------|

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

|                   |               |
|-------------------|---------------|
| Discount Schedule | 0ES1          |
| GTIN              | 3606480213205 |
| Returnability     | No            |
| Country of origin | ES            |

Packing Units

|                              |                             |
|------------------------------|-----------------------------|
| Unit Type of Package 1       | PCE                         |
| Nbr. of units in pkg.        | 1                           |
| Package 1 Height             | 27.953 in (71.000 cm)       |
| Package 1 Width              | 12.008 in (30.500 cm)       |
| Package 1 Length             | 5.315 in (13.500 cm)        |
| Package weight(Lbs)          | 19.052 lb(US) (8.642 kg)    |
| Unit Type of Package 2       | PAM                         |
| Number of Units in Package 2 | 15                          |
| Package 2 Height             | 26.772 in (68.000 cm)       |
| Package 2 Width              | 39.370 in (100.000 cm)      |
| Package 2 Length             | 47.244 in (120.000 cm)      |
| Package 2 Weight             | 313.057 lb(US) (142.000 kg) |

Contractual warranty

|                      |    |
|----------------------|----|
| Warranty (in months) | 18 |
|----------------------|----|

Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)

| Environmental footprint  |                                               |
|--------------------------|-----------------------------------------------|
| Environmental Disclosure | <a href="#">Product Environmental Profile</a> |

Use Better

| Materials and Substances               |                                                                                                                                                                                                                                                                                                   |
|----------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Packaging made with recycled cardboard | No                                                                                                                                                                                                                                                                                                |
| Packaging without single use plastic   | No                                                                                                                                                                                                                                                                                                |
| SCIP Number                            | E893f0a0-d2cc-4011-9425-3873dde70142                                                                                                                                                                                                                                                              |
| EU RoHS Directive                      | <a href="#">Compliant</a>                                                                                                                                                                                                                                                                         |
| REACH Regulation                       | <a href="#">Free of Substances of Very High Concern above the threshold</a>                                                                                                                                                                                                                       |
| California proposition 65              | WARNING: This product can expose you to chemicals including: Cadmium and cadmium compounds, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to <a href="http://www.P65Warnings.ca.gov">www.P65Warnings.ca.gov</a> |

Use Longer

| Lifetime extension |    |
|--------------------|----|
| Repair             | No |

Use Again

| Repack and remanufacture |                                          |
|--------------------------|------------------------------------------|
| Circularity Profile      | No need of specific recycling operations |
| Take-back                | No                                       |