

# Product data sheet

Specifications

Tubes, square 50 mm, length: 1,5m.  
For PanelSeT S3CM HMI encl.



NSYCMT5015

**Product availability: Non-Stock - Not normally stocked in distribution facility**

## Main

|                                    |                                                      |
|------------------------------------|------------------------------------------------------|
| Range                              | PanelSeT                                             |
| Accessory / separate part category | Cable management accessory                           |
| Product or Component Type          | Tube                                                 |
| Device Application                 | Multi-purpose                                        |
| Enclosure nominal dimensions       | -                                                    |
| Mounting Location                  | Between fixing supports and fittings                 |
| Mounting Support                   | Fitting<br>Fixings on enclosure<br>Fixing on support |
| Range compatibility                | PanelSeT S3CM                                        |
| Device composition                 | 1 tube                                               |
| Quantity per Set                   | Set of 1                                             |

## Complementary

|                            |                                                 |
|----------------------------|-------------------------------------------------|
| Material                   | extruded steel                                  |
| color                      | Gray RAL 7035)                                  |
| Surface Finish             | Epoxy-polyester powder                          |
| Fixing mode                | Direct fixing - on fixing supports and fittings |
| Permanent permissible load | 0 lb(US) (0 kg)                                 |
| Linear load                | 4.4 lb/ft (6.5 kg/m)                            |
| Length                     | 59.06 in (1500 mm)                              |
| Height                     | 59.06 in (1500 mm)                              |
| Width                      | 2.0 in (50 mm)                                  |
| Thickness                  | 0.2 in (4 mm)                                   |
| Product Weight             | 23.1 lb(US) (10.5 kg)                           |

## Ordering and shipping details

|                   |               |
|-------------------|---------------|
| Category          | US10ES180036  |
| Discount Schedule | 0ES1          |
| GTIN              | 3606480213175 |
| Returnability     | No            |
| Country of origin | DE            |

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

## Packing Units

|                              |                              |
|------------------------------|------------------------------|
| Unit Type of Package 1       | PCE                          |
| Nbr. of units in pkg.        | 1                            |
| Package 1 Height             | 2.299 in (5.840 cm)          |
| Package 1 Width              | 2.398 in (6.090 cm)          |
| Package 1 Length             | 59.449 in (151.000 cm)       |
| Package weight(Lbs)          | 23.420 lb(US) (10.623 kg)    |
| Unit Type of Package 2       | P2M                          |
| Number of Units in Package 2 | 40                           |
| Package 2 Height             | 16.929 in (43.000 cm)        |
| Package 2 Width              | 47.244 in (120.000 cm)       |
| Package 2 Length             | 78.740 in (200.000 cm)       |
| Package 2 Weight             | 1007.337 lb(US) (456.920 kg) |

## Contractual warranty

|                      |    |
|----------------------|----|
| Warranty (in months) | 18 |
|----------------------|----|



## Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)



### Environmental footprint

Environmental Disclosure

[Product Environmental Profile](#)

## Use Better



### Materials and Substances

Packaging made with recycled cardboard

No

Packaging without single use plastic

No

EU RoHS Directive

[Compliant](#)

REACH Regulation

[Free of Substances of Very High Concern above the threshold](#)

## Use Longer



### Lifetime extension

Repair

No

## Use Again



### Repack and remanufacture

Circularity Profile

No need of specific recycling operations

Take-back

No