

Product data sheet

Specifications



Horizontal rotating bracket, square
50 mm RAL 7040. For S3CM HMI
encl.

NSYCMUMC50

**Product availability: Non-Stock - Not normally stocked in
distribution facility**

Main

Range	PanelSeT
Accessory / separate part category	Mounting accessory
Product or Component Type	Fixing on support
Device Application	Multi-purpose
Enclosure nominal dimensions	-
Mounting Location	Between tube and support
Mounting Support	Option of passing cables through the inside For 50 mm square tube
Range compatibility	PanelSeT S3CM
Device composition	fixing elements 1 fixing and rotating bracket
Quantity per Set	Set of 1

Complementary

Material	moulded steel
color	Gray RAL 7040)
Surface Finish	Epoxy-polyester powder
Fixing mode	By fixing element M12 - horizontal tube By 4 screws M9 - on support
Operating angle	295 °
Permanent permissible load	11.9 lb(US) (5.4 kg)
Height	5.3 in (134 mm)
Width	5.5 in (140 mm)
Depth	6.5 in (164 mm)
Product Weight	12.26 lb(US) (5.56 kg)

Ordering and shipping details

Category	US10ES180036
Discount Schedule	0ES1
GTIN	3606480213007
Returnability	No
Country of origin	DE

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Packing Units

Unit Type of Package 1	PCE
Nbr. of units in pkg.	1
Package 1 Height	6.102 in (15.500 cm)
Package 1 Width	7.283 in (18.500 cm)
Package 1 Length	7.480 in (19.000 cm)
Package weight(Lbs)	12.677 lb(US) (5.750 kg)
Unit Type of Package 2	PAM
Number of Units in Package 2	48
Package 2 Height	39.370 in (100.000 cm)
Package 2 Width	39.370 in (100.000 cm)
Package 2 Length	47.244 in (120.000 cm)
Package 2 Weight	637.136 lb(US) (289.000 kg)

Contractual warranty

Warranty (in months)	18
----------------------	----



Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)



Environmental footprint

Environmental Disclosure

[Product Environmental Profile](#)

Use Better



Materials and Substances

Packaging made with recycled cardboard

No

Packaging without single use plastic

No

EU RoHS Directive

[Compliant](#)

Use Longer



Lifetime extension

Repair

No

Use Again



Repack and remanufacture

Circularity Profile

No need of specific recycling operations

Take-back

No