


Product data sheet

Specifications



Actassi - set of 100 cage nuts M6 for 8.5 mm square holes

NSYCN9M625

Product availability: Stock - Normally stocked in distribution facility

Main

Range	Actassi
Product or Component Type	Screw
Device Application	Multi-purpose
Quantity per Set	Set of 100

Complementary

Device composition	1 nut
Mounting Support	Plinth panel To fix elements on 19" racks
thickness	0.10 in (2.5 mm)
ISO thread	M6

Ordering and shipping details

Category	US10ES180036
Discount Schedule	0ES1
GTIN	3606480150364
Returnability	Yes
Country of origin	ES

Packing Units

Unit Type of Package 1	PCE
Nbr. of units in pkg.	1
Package 1 Height	0.394 in (1.000 cm)
Package 1 Width	0.551 in (1.400 cm)
Package 1 Length	0.551 in (1.400 cm)
Package weight(Lbs)	0.141 oz (4.000 g)
Unit Type of Package 2	BB1
Number of Units in Package 2	100
Package 2 Height	1.181 in (3.000 cm)
Package 2 Width	4.331 in (11.000 cm)
Package 2 Length	5.906 in (15.000 cm)
Package 2 Weight	14.286 oz (405.000 g)
Unit Type of Package 3	CAR

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Number of Units in Package 3	2500
Package 3 Height	11.811 in (30.000 cm)
Package 3 Width	7.874 in (20.000 cm)
Package 3 Length	7.874 in (20.000 cm)
Package 3 Weight	24.251 lb(US) (11.000 kg)

Contractual warranty

Warranty (in months)	18
----------------------	----



Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)



Environmental footprint

Total lifecycle Carbon footprint	0 kg CO2 eq.
Carbon footprint of the manufacturing phase [A1 to A3]	0 kg CO2 eq.
Carbon footprint of the distribution phase [A4]	0 kg CO2 eq.
Carbon footprint of the installation phase [A5]	0 kg CO2 eq.
Carbon footprint of the use phase [B2, B3, B4, B6]	0 kg CO2 eq.
Carbon footprint of the end-of-life phase [C1 to C4]	0 kg CO2 eq.
Environmental Disclosure	Product Environmental Profile

Use Better



Materials and Substances

Packaging made with recycled cardboard	No
Packaging without single use plastic	No
SCIP Number	E893f0a0-d2cc-4011-9425-3873dde70142
EU RoHS Directive	Compliant
REACH Regulation	Free of Substances of Very High Concern above the threshold
PVC free	Yes
Silicon free	No

Use Longer



Lifetime extension

Repair	No
--------	----

Use Again



Repack and remanufacture

Recyclability potential, in %	98
Circularity Profile	No need of specific recycling operations
Take-back	No