Product data sheet

Specifications



ClimaSys metallic filter for roof cooling unit 1k2 to 2kW

NSYCUFX1K2T2KR

Product availability: Non-Stock - Not normally stocked in distribution facility

Main

Range	ClimaSys
Product name	ClimaSys CU
Product or Component Type	Filter
Range compatibility	ClimaSys ClimaSys CU cooling unit
Accessory / separate part category	Thermal management accessory

Complementary

Product destination	Top-mounting cooling unit 1150 W Top-mounting cooling unit 1550 W Top-mounting cooling unit 2050 W
Accessory / separate part destination	ClimaSys cooling unit
Material	Aluminium

Ordering and shipping details

Category	US10ES180036
Discount Schedule	0ES1
GTIN	3606480685668
Returnability	No
Country of origin	ES

Packing Units

Unit Type of Package 1	PCE
Nbr. of units in pkg.	1
Package 1 Height	8.661 in (22.000 cm)
Package 1 Width	16.535 in (42.000 cm)
Package 1 Length	22.835 in (58.000 cm)
Package weight(Lbs)	34.568 oz (980.000 g)
Unit Type of Package 2	PAM
Number of Units in Package 2	14
Package 2 Height	37.795 in (96.000 cm)
Package 2 Width	39.370 in (100.000 cm)
Package 2 Length	47.244 in (120.000 cm)
Package 2 Weight	55.116 lb(US) (25.000 kg)

Price is “List Price” and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Contractual warranty

Warranty (in months)	18

Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

Environmental Data explained

How we assess product sustainability

Environmental footprint

Environmental Disclosure	Product Environmental Profile

Use Better

Materials and Substances

Packaging made with recycled cardboard	No
Packaging without single use plastic	Yes
EU RoHS Directive	Compliant
REACh Regulation	Free of Substances of Very High Concern above the threshold

Use Longer

Lifetime extension

Repair	No

Use Again

Repack and remanufacture

Circularity Profile	End of Life Information
Take-back	No