


# Product data sheet

Specifications



## ClimaSys metallic filter for roof cooling unit 3k to 4kW

NSYCUFX3KT4KR

**Product availability: Non-Stock - Not normally stocked in distribution facility**

### Main

|                                    |                                   |
|------------------------------------|-----------------------------------|
| Range                              | ClimaSys                          |
| Product name                       | ClimaSys CU                       |
| Product or Component Type          | Filter                            |
| Range compatibility                | ClimaSys ClimaSys CU cooling unit |
| Accessory / separate part category | Thermal management accessory      |

### Complementary

|                                       |                                                                      |
|---------------------------------------|----------------------------------------------------------------------|
| Product destination                   | Top-mounting cooling unit 2900 W<br>Top-mounting cooling unit 3850 W |
| Accessory / separate part destination | ClimaSys cooling unit                                                |
| Material                              | Aluminium                                                            |

### Ordering and shipping details

|                   |               |
|-------------------|---------------|
| Category          | US10ES180036  |
| Discount Schedule | 0ES1          |
| GTIN              | 3606480685682 |
| Returnability     | No            |
| Country of origin | ES            |

### Packing Units

|                              |                           |
|------------------------------|---------------------------|
| Unit Type of Package 1       | PCE                       |
| Nbr. of units in pkg.        | 1                         |
| Package 1 Height             | 23.228 in (59.000 cm)     |
| Package 1 Width              | 16.339 in (41.500 cm)     |
| Package 1 Length             | 8.465 in (21.500 cm)      |
| Package weight(Lbs)          | 32.169 oz (912.000 g)     |
| Unit Type of Package 2       | PAM                       |
| Number of Units in Package 2 | 20                        |
| Package 2 Height             | 38.583 in (98.000 cm)     |
| Package 2 Width              | 39.370 in (100.000 cm)    |
| Package 2 Length             | 47.244 in (120.000 cm)    |
| Package 2 Weight             | 66.668 lb(US) (30.240 kg) |

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

# Contractual warranty

|                      |    |
|----------------------|----|
| Warranty (in months) | 18 |
|----------------------|----|



## Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)



### Environmental footprint

Environmental Disclosure

[Product Environmental Profile](#)

## Use Better



### Materials and Substances

Packaging made with recycled cardboard

No

Packaging without single use plastic

Yes

EU RoHS Directive

[Compliant](#)

REACH Regulation

[Free of Substances of Very High Concern above the threshold](#)

## Use Longer



### Lifetime extension

Repair

No

## Use Again



### Repack and remanufacture

Circularity Profile

[End of Life Information](#)

Take-back

No