

Product data sheet

Specifications



One double-profile mounting rail
perforated 35x15 L2000 mm, Order
by Multiples of 10 units

NSYDPR200D

Product availability: Non-Stock - Not normally stocked in
distribution facility

Main

Anwendung	Multi-purpose
Range	PanelSeT
Product or Component Type	Rail
Accessory / separate part category	Mounting accessory
Type of rail	Double-profile DIN
Enclosure nominal dimensions	-
Range compatibility	PanelSeT
Device composition	1 rail
Quantity per Set	Set of 10

Complementary

Material	galvanised steel
Surface Finish	Perforated
Fixing mode	By fixing element - structure of enclosure
Adjustment	Continuous adjustment Pitch 25 mm
Length	78.7 in (2000 mm)
Height	Nominal: 0.6 in (15 mm)
Width	Nominal: 1.4 in (35 mm)
thickness	0.06 in (1.5 mm)

Ordering and shipping details

Category	US10ES180036
Discount Schedule	0ES1
GTIN	3606480181283
Returnability	No
Country of origin	ES

Packing Units

Unit Type of Package 1	PCE
Nbr. of units in pkg.	1
Package 1 Height	1.772 in (4.500 cm)

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Package 1 Width	0.354 in (0.900 cm)
Package 1 Length	79.134 in (201.000 cm)
Package weight(Lbs)	3.514 lb(US) (1.594 kg)
Unit Type of Package 2	CAR
Number of Units in Package 2	10
Package 2 Height	1.772 in (4.500 cm)
Package 2 Width	3.543 in (9.000 cm)
Package 2 Length	79.134 in (201.000 cm)
Package 2 Weight	35.159 lb(US) (15.948 kg)
Unit Type of Package 3	P2M
Number of Units in Package 3	200
Package 3 Height	11.811 in (30.000 cm)
Package 3 Width	78.740 in (200.000 cm)
Package 3 Length	47.244 in (120.000 cm)
Package 3 Weight	773.823 lb(US) (351.000 kg)

Contractual warranty

Warranty (in months)	18
----------------------	----



Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)



Environmental footprint

Total lifecycle Carbon footprint	13 kg CO2 eq.
Carbon footprint of the manufacturing phase [A1 to A3]	8 kg CO2 eq.
Carbon footprint of the distribution phase [A4]	0.4 kg CO2 eq.
Carbon footprint of the installation phase [A5]	0.4 kg CO2 eq.
Carbon footprint of the use phase [B2, B3, B4, B6]	0 kg CO2 eq.
Carbon footprint of the end-of-life phase [C1 to C4]	4 kg CO2 eq.
Environmental Disclosure	Product Environmental Profile

Use Better



Materials and Substances

Packaging made with recycled cardboard	No
Packaging without single use plastic	No
EU RoHS Directive	Compliant
REACH Regulation	Free of Substances of Very High Concern above the threshold

Use Longer



Lifetime extension

Repair	No
--------	----

Use Again



Repack and remanufacture

Recyclability potential, in %	98
Circularity Profile	No need of specific recycling operations
Take-back	No