

Product data sheet

Specifications



Earth braids section 50mm², length 200mm, eyelet hole 6,4mm.
Packaging unit: 10.

NSYEB2050D8

Product availability: Non-Stock - Not normally stocked in distribution facility

Main

Range	PanelSeT
Anwendung	Multi-purpose
Product or Component Type	Earthing braid
Device composition	1 braid
Quantity per Set	Set of 10

Complementary

Material	Tinned copper
Fixing mode	Nut and washer - on earth connection
Length	7.9 in (200 mm)
Width	1.3 in (33 mm)
Nominal cross section	0.08 in ² (50 mm ²)
Diameter	0.3 in (8.5 mm)

Ordering and shipping details

Category	US10ES180036
Discount Schedule	0ES1
GTIN	3606480064074
Returnability	No
Country of origin	IT

Packing Units

Unit Type of Package 1	PCE
Nbr. of units in pkg.	1
Package 1 Height	0.787 in (2.000 cm)
Package 1 Width	0.787 in (2.000 cm)
Package 1 Length	7.874 in (20.000 cm)
Package weight(Lbs)	6.138 oz (174.000 g)
Unit Type of Package 2	BB1
Number of Units in Package 2	10
Package 2 Height	1.181 in (3.000 cm)
Package 2 Width	3.346 in (8.500 cm)

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Package 2 Length	9.646 in (24.500 cm)
Package 2 Weight	3.845 lb(US) (1.744 kg)
Unit Type of Package 3	PAM
Number of Units in Package 3	1000
Package 3 Height	17.717 in (45.000 cm)
Package 3 Width	39.370 in (100.000 cm)
Package 3 Length	47.244 in (120.000 cm)
Package 3 Weight	1146.405 lb(US) (520.000 kg)

Contractual warranty

Warranty (in months)	18
----------------------	----



Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)



Environmental footprint

Total lifecycle Carbon footprint	1 kg CO2 eq.
Carbon footprint of the manufacturing phase [A1 to A3]	0.8 kg CO2 eq.
Carbon footprint of the distribution phase [A4]	0 kg CO2 eq.
Carbon footprint of the installation phase [A5]	0 kg CO2 eq.
Carbon footprint of the use phase [B2, B3, B4, B6]	0 kg CO2 eq.
Carbon footprint of the end-of-life phase [C1 to C4]	0.4 kg CO2 eq.
Environmental Disclosure	Product Environmental Profile

Use Better



Materials and Substances

Packaging made with recycled cardboard	No
Packaging without single use plastic	No
EU RoHS Directive	Compliant
REACH Regulation	Free of Substances of Very High Concern above the threshold

Use Longer



Lifetime extension

Repair	No
--------	----

Use Again



Repack and remanufacture

Recyclability potential, in %	98
Circularity Profile	No need of specific recycling operations
Take-back	No