


# Product data sheet

Specifications



## PVC adjustable cone-shaped entries 98x3mm. Composition : 10

NSYECPC15

**Product availability: Non-Stock - Not normally stocked in distribution facility**

### Main

|                                    |                              |
|------------------------------------|------------------------------|
| Accessory / separate part category | Cable management accessory   |
| Product or Component Type          | Adjustable cone-shaped entry |
| Application                        | Multi-purpose                |
| Device composition                 | 1 cable entry                |
| Range compatibility                | Spacial<br>PanelSeT PLM      |
| Quantity per Set                   | Set of 10                    |

### Complementary

|                      |                                 |
|----------------------|---------------------------------|
| Mounting support     | Distribution and protection box |
| Material             | PVC (polyvinyl chloride)        |
| Cable outer diameter | 1.1...3.4 in (28...87 mm)       |
| Product Weight       | 0.079 lb(US) (0.036 kg)         |

### Environment

|                   |                |
|-------------------|----------------|
| Drilling diameter | 3.5 in (90 mm) |
|-------------------|----------------|

### Ordering and shipping details

|                   |               |
|-------------------|---------------|
| Category          | US10ES180036  |
| Discount Schedule | 0ES1          |
| GTIN              | 3606480181535 |
| Returnability     | No            |
| Country of origin | ES            |

### Packing Units

|                              |                      |
|------------------------------|----------------------|
| Unit Type of Package 1       | PCE                  |
| Nbr. of units in pkg.        | 1                    |
| Package 1 Height             | 4.724 in (12.000 cm) |
| Package 1 Width              | 6.890 in (17.500 cm) |
| Package 1 Length             | 0.827 in (2.100 cm)  |
| Package weight(Lbs)          | 1.270 oz (36.000 g)  |
| Unit Type of Package 2       | CAR                  |
| Number of Units in Package 2 | 10                   |

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

|                              |                           |
|------------------------------|---------------------------|
| Package 2 Height             | 4.724 in (12.000 cm)      |
| Package 2 Width              | 6.890 in (17.500 cm)      |
| Package 2 Length             | 8.268 in (21.000 cm)      |
| Package 2 Weight             | 12.698 oz (360.000 g)     |
| Unit Type of Package 3       | PAM                       |
| Number of Units in Package 3 | 500                       |
| Package 3 Height             | 19.685 in (50.000 cm)     |
| Package 3 Width              | 39.370 in (100.000 cm)    |
| Package 3 Length             | 47.244 in (120.000 cm)    |
| Package 3 Weight             | 68.343 lb(US) (31.000 kg) |

## Contractual warranty

|                      |    |
|----------------------|----|
| Warranty (in months) | 18 |
|----------------------|----|



## Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)



### Environmental footprint

Environmental Disclosure

[Product Environmental Profile](#)

## Use Better



### Materials and Substances

|                                        |                                                                             |
|----------------------------------------|-----------------------------------------------------------------------------|
| Packaging made with recycled cardboard | No                                                                          |
| Packaging without single use plastic   | No                                                                          |
| EU RoHS Directive                      | <a href="#">Compliant</a>                                                   |
| REACH Regulation                       | <a href="#">Free of Substances of Very High Concern above the threshold</a> |
| PVC free                               | Yes                                                                         |
| Silicon free                           | Yes                                                                         |

## Use Longer



### Lifetime extension

|        |    |
|--------|----|
| Repair | No |
|--------|----|

## Use Again



### Repack and remanufacture

|                     |                                          |
|---------------------|------------------------------------------|
| Circularity Profile | No need of specific recycling operations |
| Take-back           | No                                       |