

Product data sheet

Specifications



Set of 4 brackets to get an additional support of mounting plate on step slides

NSYEDPLA

Product availability: Non-Stock - Not normally stocked in distribution facility

Main

category	Mounting accessory
Product or Component Type	Slide bracket
Range compatibility	PanelSeT PLA
Application	Multi-purpose
Nominal dimensions of the housing	-
Mounting Location	Sliding support
Device composition	4 sliding support
Material	steel

Complementary

Fixing mode	By fixing element - on step slides
ISO thread	M8

Ordering and shipping details

Category	US10ES180036
Discount Schedule	0ES1
GTIN	3606480194436
Returnability	No
Country of origin	ES

Packing Units

Unit Type of Package 1	PCE
Nbr. of units in pkg.	1
Package 1 Height	3.937 in (10.000 cm)
Package 1 Width	3.150 in (8.000 cm)
Package 1 Length	2.362 in (6.000 cm)
Package weight(Lbs)	11.675 oz (331.000 g)

Contractual warranty

Warranty (in months)	18
----------------------	----

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications



Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)



Environmental footprint

Environmental Disclosure

[Product Environmental Profile](#)

Use Better



Materials and Substances

Packaging made with recycled cardboard

No

Packaging without single use plastic

No

EU RoHS Directive

[Compliant](#)

REACH Regulation

[Free of Substances of Very High Concern above the threshold](#)

Use Longer



Lifetime extension

Repair

No

Use Again



Repack and remanufacture

Circularity Profile

No need of specific recycling operations

Take-back

No

Image of product in real life situation

