


Product data sheet

Specifications



EN connectors 60x40 for symmetric C-shaped rails. Supply: 20

NSYEN40

Product availability: Stock - Normally stocked in distribution facility

Main

category	Mounting accessory
Product or Component Type	Connector
Range compatibility	PanelSeT CRN PanelSeT S3D PanelSeT S3CM
Application	Multi-purpose
Nominal dimensions of the housing	-
Mounting Location	Between C40 rails or with any other section
Device composition	1 connector
Quantity per Set	Set of 20
Material	steel

Complementary

Surface Finish	Zinc coated
Fixing mode	By fixing element
Height	1.6 in (40 mm)
Width	1.6 in (40 mm)
Depth	2.4 in (60 mm)
thickness	0.10 in (2.5 mm)

Ordering and shipping details

Category	US10ES180036
Discount Schedule	0ES1
GTIN	3606480181726
Returnability	Yes
Country of origin	ES

Packing Units

Unit Type of Package 1	PCE
Nbr. of units in pkg.	1
Package 1 Height	0.146 in (0.370 cm)
Package 1 Width	3.346 in (8.500 cm)
Package 1 Length	5.315 in (13.500 cm)

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Package weight(Lbs)	2.328 oz (66.000 g)
Unit Type of Package 2	BB1
Number of Units in Package 2	20
Package 2 Height	5.315 in (13.500 cm)
Package 2 Width	3.346 in (8.500 cm)
Package 2 Length	2.953 in (7.500 cm)
Package 2 Weight	2.915 lb(US) (1.322 kg)

Contractual warranty

Warranty (in months)	18
----------------------	----



Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)



Environmental footprint

Total lifecycle Carbon footprint	0.5 kg CO2 eq.
Carbon footprint of the manufacturing phase [A1 to A3]	0.3 kg CO2 eq.
Carbon footprint of the distribution phase [A4]	0 kg CO2 eq.
Carbon footprint of the installation phase [A5]	0 kg CO2 eq.
Carbon footprint of the use phase [B2, B3, B4, B6]	0 kg CO2 eq.
Carbon footprint of the end-of-life phase [C1 to C4]	0.2 kg CO2 eq.
Environmental Disclosure	Product Environmental Profile

Use Better



Materials and Substances

Packaging made with recycled cardboard	No
Packaging without single use plastic	No
EU RoHS Directive	Compliant
REACH Regulation	Free of Substances of Very High Concern above the threshold

Use Longer



Lifetime extension

Repair	No
--------	----

Use Again



Repack and remanufacture

Recyclability potential, in %	98
Circularity Profile	No need of specific recycling operations
Take-back	No