Product data sheet

Specifications

Hexagonal spacers M6 height 100 for raising mounting plates, etc. Supply: 100

NSYEX1006

Product availability: Non-Stock - Not normally stocked in distribution facility

Main

category	Mounting accessory
Product or Component Type	Spacer
Range compatibility	PanelSeT CRN PanelSeT S3D PanelSeT S3CM
Application	Multi-purpose
Nominal dimensions of the housing	-
Mounting Location	Other hexagonal spacer Switchgear On mounting plate
Device composition	1 spacer
Quantity per Set	Set of 100
Material	galvanised steel

Complementary

Fixing mode	Screw-on
Height	3.9 in (100 mm)
ISO thread	M6

Ordering and shipping details

Category	US10ES180036
Discount Schedule	0ES1
GTIN	3606480181801
Returnability	No
Country of origin	ES

Packing Units

Unit Type of Package 1	PCE
Nbr. of units in pkg.	1
Package 1 Height	3.937 in (10.000 cm)
Package 1 Width	0.087 in (0.220 cm)
Package 1 Length	5.512 in (14.000 cm)
Package weight(Lbs)	1.869 oz (53.000 g)
Unit Type of Package 2	BB1

Price is “List Price” and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Number of Units in Package 2	100
Package 2 Height	3.937 in (10.000 cm)
Package 2 Width	8.661 in (22.000 cm)
Package 2 Length	5.512 in (14.000 cm)
Package 2 Weight	11.790 lb(US) (5.348 kg)

Contractual warranty

Warranty (in months)	18

Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

Environmental Data explained >

How we assess product sustainability >

Environmental footprint

Environmental Disclosure	Product Environmental Profile

Use Better

Materials and Substances

Packaging made with recycled cardboard	No
Packaging without single use plastic	No
EU RoHS Directive	Compliant
REACh Regulation	Free of Substances of Very High Concern above the threshold
PVC free	Yes
Silicon free	Yes

Use Longer

Lifetime extension

Repair	No

Use Again

Repack and remanufacture

Circularity Profile	No need of specific recycling operations
Take-back	No