


Product data sheet

Specifications



Fixed tray, PanelSeT SFN, Spacial SF, Spacial SM, for electrical enclosure W600 D600mm, steel

NSYFXT6060

Product availability: Non-Stock - Not normally stocked in distribution facility

Main

Range	PanelSeT
Accessory / separate part category	Installation accessory
Product or Component Type	Fixed tray
Application	Multi-purpose PC application
For enclosure nominal dimensions	- W: 23.6 in (600 mm) D: 23.6 in (600 mm)
Mounting support	Direct to the structure 40 mm cross rails
Range compatibility	PanelSeT PanelSeT SF PanelSeT PanelSeT SM
Device composition	1 fixed tray fixing elements
Quantity per Set	Set of 1

Complementary

Material	steel
color	Gray RAL 7035)
Surface Finish	Epoxy-polyester powder
Adjustment	Adjustable in depth every 25 mm
Maximum load	330.7 lb(US) (150 kg) evenly distributed
Height	1.2 in (30 mm)
Width	19.0 in (482 mm)
Depth	19.3 in (490 mm)

Ordering and shipping details

Category	US10ES180035
Discount Schedule	0ES1
GTIN	3606480064517
Returnability	No
Country of origin	FR

Packing Units

Unit Type of Package 1	PCE
Nbr. of units in pkg.	1

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Package 1 Height	1.378 in (3.500 cm)
Package 1 Width	19.291 in (49.000 cm)
Package 1 Length	20.472 in (52.000 cm)
Package weight(Lbs)	7.910 lb(US) (3.588 kg)
Unit Type of Package 2	P12
Number of Units in Package 2	16
Package 2 Height	21.260 in (54.000 cm)
Package 2 Width	31.496 in (80.000 cm)
Package 2 Length	47.244 in (120.000 cm)
Package 2 Weight	151.017 lb(US) (68.500 kg)

Contractual warranty

Warranty (in months)	18
----------------------	----



Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)



Environmental footprint

Total lifecycle Carbon footprint	24 kg CO2 eq.
Carbon footprint of the manufacturing phase [A1 to A3]	14 kg CO2 eq.
Carbon footprint of the distribution phase [A4]	0.6 kg CO2 eq.
Carbon footprint of the installation phase [A5]	0.7 kg CO2 eq.
Carbon footprint of the use phase [B2, B3, B4, B6]	0 kg CO2 eq.
Carbon footprint of the end-of-life phase [C1 to C4]	8 kg CO2 eq.
Environmental Disclosure	Product Environmental Profile

Use Better



Materials and Substances

Packaging made with recycled cardboard	No
Packaging without single use plastic	No
SCIP Number	E893f0a0-d2cc-4011-9425-3873dde70142
EU RoHS Directive	Compliant By Exemption
REACH Regulation	Reference contains Substances of Very High Concern above the threshold
California proposition 65	WARNING: This product can expose you to chemicals including: Lead, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov

Use Longer



Lifetime extension

Repair	No
--------	----

Use Again



Repack and remanufacture

Recyclability potential, in %	98
Circularity Profile	No need of specific recycling operations
Take-back	No